STATE OF OHIO
George V. Voinovich, Governor
DEPARTMENT OF NATURAL RESOURCES
Frances S. Buchholzer, Director
DIVISION OF GEOLOGICAL SURVEY
Thomas M. Berg, Chief

REPORT OF INVESTIGATIONS NO. 144

GEOLOGICAL CONTROLS ON INDOOR RADON IN OHIO

by
James A. Harrell,
John P. McKenna,
and
Ashok Kumar



Columbus
1993

DIVISION OF GEOLOGICAL SURVEY
4383 FOUNTAIN SQUARE DRIVE
COLUMBUS, OHIO 43224-1362
(614) 265-6576
(614) 447-1918 (FAX)

STATE OF OHIO
George V. Voinovich, Governor
DEPARTMENT OF NATURAL RESOURCES
Frances S. Buchholzer, Director
DIVISION OF GEOLOGICAL SURVEY
Thomas M. Berg, Chief

REPORT OF INVESTIGATIONS NO. 144

GEOLOGICAL CONTROLS ON INDOOR RADON IN OHIO

by

James A. Harrell
Department of Geology
University of Toledo

John P. McKenna
ABB Environmental Services, Inc.
Farmington Hills, Michigan

and

Ashok Kumar
Department of Civil Engineering
University of Toledo

Columbus
1993

calcareous soils.

Most radon enters buildings by direct migration, via diffusion or convection, from the underlying substrate. Radon contained in ground water from a private well may also escape into indoor air when the water is used for washing, cooking, etc. The US EPA (1987) has estimated that it would take 10,000 pCi/l of radon in water to elevate the radon in indoor air by 1 pCi/l. However, Gesell and Prichard (1980) have argued that the transfer ratio is actually closer to 1000-to-1. Several studies have now been done in Ohio on radon in ground water (for example, Walsh, 1990; Baldwin, 1991; Hume, 1991; Muller, 1992; Stewart, 1993). No radon levels above 10,000 pCi/l have been recorded, and the vast majority of the observed levels are below 1,000 pCi/l, even for ground water coming from the Ohio Shale. These figures apply only to water from private wells and springs. Radon levels in treated municipal water would be lower because filtration, aeration, and the long residence time in the system all act to dissipate the gas. This effect is well demonstrated by Hess and others (1985), who report a geometric mean radon concentration of 79 pCi/l for public water supplies from wells in Ohio. If the municipal water is drawn from a river or lake, the initial radon concentration would be even less than that in ground water. The indications are, therefore, that water in Ohio will rarely be a significant source of indoor radon.

RADON DATABASE

Elevated indoor radon levels have been found throughout Ohio, and not just, or even primarily, above the Ohio Shale outcrop. The geologic controls on radon are apparently numerous and complex. The first step in understanding these controls was to create a radon database that would provide detailed information on the geographic distribution of indoor radon in the state. The second step was to compare this distribution with known geology.

We contacted government agencies, university researchers, and commercial testing companies that have made indoor radon measurements in Ohio and requested copies of their data. In this way it was possible to compile a database consisting of 50,626 measurements (nearly all from houses) in 1,270 zip code areas that were well distributed across the state (see Kumar and others, 1990, for details). The measurements were made at different times of the year and in various rooms of the houses. The average of these measurements for a zip code area or county is probably a good estimate of the year-round average radon concentration in the living areas of houses. The distribution statistics for indoor radon in Ohio are tabulated for counties and zip code areas in parts I and II, respectively, of the appendix. A map of Ohio zip code areas has been published by Rand McNally (1988).

DISTRIBUTION OF INDOOR RADON IN OHIO

The geometric mean (GM) radon concentrations for Ohio counties are shown in figure 1. The geometric mean is used in this and subsequent figures because it is a more appropriate measure of average when data are lognormally distributed as is typically the case for radon. This statistic is not adversely affected by a few extreme high concentrations as is the arithmetic mean, and, unlike the median, which is based on just one or two central values, the geometric mean uses all of the available data in its calculation. The average radon concentrations are relatively low (less than 8 pCi/l) in all Ohio counties except Licking County, where the GM is 11.5 pCi/l; 33 (38 percent) of Ohio's 88 counties have a GM above 4.0 pCi/l.

Figure 2 shows the distribution of average indoor radon levels for zip code areas in Ohio. The symbols on this map are plotted at the centroids of the zip code areas. Of the 1,270 zip codes represented in the radon database, only 698 have five or more measurements. It is the geometric means for these areas that are displayed on this and subsequent maps. From a statistical point of view, it would have been better to use zip code areas with a larger minimum number of measurements. However, this practice would significantly reduce the number of zip codes used and so make the geologic interpretations more difficult.

Figure 2 should be reassuring to the majority of Ohioans. Only 4.7 percent of the zip codes have an average radon concentration above 8 pCi/l, and 64.9 percent are below 4 pCi/l. Most of the problem areas are confined to the central and western parts of the state.

GEOLOGIC CONTROLS ON INDOOR RADON

INTERPRETIVE OVERVIEW

Figures 3 and 4 illustrate the relationships in Ohio between bedrock and glacial geology and the distribution of indoor radon. From these maps it is immediately apparent that the vast majority of radon concentrations above 4 pCi/l are associated with Wisconsinan glacial deposits (primarily till) of the Miami and Scioto Lobes. In the portion of the Scioto Lobe where most of the highest levels occur, the underlying bedrock consists of Devonian limestone and shale and Mississippian conglomerate, sandstone, and shale (see table 1 for stratigraphic units and their lithologies). Elsewhere in the Scioto Lobe and in the Miami Lobe, the bedrock consists of limestone and dolostone of Devonian, Silurian, and Ordovician ages.

The association in figure 3 of elevated radon levels with the Ohio Shale comes as no surprise. However, the high radon levels above the other bedrock units are less understandable because none of them are known to be enriched in uranium. The cause of the close association in figure 4 between Wisconsinan till and radon is also not clear because these generally fine-grained sediments are of low permeability and would seem to be incapable of transmitting radon to the surface from source materials either within the till or below in the bedrock. Nevertheless, the unavoidable conclusion to be drawn is that Wisconsinan glacial deposits are the primary source of radon in Ohio. Similar conclusions were reached by Hudson and Nelson (1990) and Gundersen and others (1991) for glacial deposits in other midwestern states.

COMPOSITION OF GLACIAL AND ALLUVIAL DEPOSITS

Glacial till, which consists of ground- and terminal-moraine deposits, is a poorly sorted and generally unstratified mixture of clay, silt, sand, and gravel. Glacial outwash, kames, and eskers and related Recent alluvial deposits consist largely of sand and gravel. Of particular interest in radon studies are the abundance and composition of sand and gravel clasts. When these clasts are abundant, the permeability of the deposit will be high, and when they are uranium rich, the deposit will be a strong radon source.

Almost nothing is known about the composition of the sand fraction in glacial and alluvial deposits in Ohio. Not much more is known about the composition of the gravel fraction. However, "pebble counts" from numerous till and outwash localities in the western and northern parts of the state indicate what is probably a general rule: Canadian-derived granite and gneiss clasts decrease in abundance in a southerly direction and generally account for less than 10 percent (and rarely more than 20 percent) of the total clasts; the remainder



FIGURE 1.—Geometric mean indoor radon concentrations for Ohio counties.



FIGURE 2.—Geometric mean indoor radon concentrations for Ohio zip code areas with five or more measurements.



FIGURE 3.—Bedrock geology of Ohio (after Bownocker, 1947) and geometric mean indoor radon concentrations for zip code areas. See table 1 for definition of stratigraphic symbols.



FIGURE 4.—Glacial geology of Ohio (after Goldthwait and others, 1961) and geometric mean indoor radon concentrations for zip code areas.

TABLE 1.—*Geological units in Ohio shown on figures 3 and 6*

Map symbol	System	Geological units	Lithologies[1]
IPm-Pd	Pennsylvanian-Permian	Dunkard Group	sh, ss, ls, coal
		Monongahela Group	
IPp,a,c	Pennsylvanian	Conemaugh Group	
		Allegheny Group	sh, ss, ls, coal
		Pottsville Group	
M	Mississippian	Maxville Limestone	ls, sh
		Cuyahoga & Logan Formations	ss, cg, sh
		Sunbury Shale	black sh
		Berea Sandstone	ss, sh
		Bedford Shale	sh
Do,o	Devonian	Ohio Shale	black sh
		Olentangy Shale	sh, ls
Dc,d	Devonian	Delaware Limestone	ls, sh
		Columbus Limestone	ls, dol
S-D	Silurian-Devonian	Detroit River Group	dol, ss
		Lockport & Salina Groups	dol
		Osgood Shale	sh
		Dayton Formation	dol
O-S	Ordovician-Silurian	Brassfield Formation	ls, sh, ss
		Cincinnati Group	sh, ls

[1]Lithologies are from Stout and others (1943) and are listed in order of decreasing abundance. Abbreviations: cg, conglomerate; dol, dolostone; ls, limestone; sh, shale; ss, sandstone.

of the clasts are derived from Ohio bedrock (Kempton and Goldthwait, 1959; Goldthwait, 1969; Rosengreen, 1974; Oldfield, 1977; Quinn and Goldthwait, 1979, 1985; Goldthwait and others, 1981; Strobel and Faure, 1987; Storck and Szabo, 1991). The percentages for the sand fraction are probably similar (see, for example, Szabo and Totten, 1992). Most of the clasts of Ohio bedrock were likely carried by glaciers and streams no farther than several tens of miles from their point of origin. The so-called "boulder belts" in southwest Ohio are an exception to the compositional tendencies just described. In these deposits, Canadian granite and gneiss consistently account for over 75 percent of the boulders, the remainder coming from local bedrock. These boulders occur only on or very near the surface as scattered, noncontiguous clasts in fine-grained till. They do not form gravel deposits.

One might think that Canadian clasts would be a major source of radon in till, and especially in sand and gravel deposits. The pebble counts, however, seem to indicate that these clasts are not abundant enough to produce a significant amount of radon. Indeed, we do not even know that these particular rock types are enriched in uranium. Many granites and gneisses in the world are highly uraniferous, but certainly not all of them are. We may conclude from the relative paucity of Canadian clasts that if glacial deposits are acting as a strong radon source, then the radon must be coming from material derived from the Ohio bedrock.

OHIO SHALE CLASTS AS A SOURCE OF RADON

Most of the high radon concentrations in the Miami Lobe and especially in the Scioto Lobe may result from the incorporation of fragments of Ohio Shale into the till. This interpretation is supported by the directions of Wisconsinan ice movement, shown in figure 5. These directions are inferred from the striation azimuths shown on the *Glacial map of Ohio* (Goldthwait and others, 1961) and by assuming that the terminal moraines, also shown on this map, are oriented approximately normal to the direction of ice movement. It can be seen in figure 5 that glaciers would have passed over the Ohio Shale outcrops and distributed fragments of this formation to most parts of the Miami and Scioto Lobes. It seems likely that these outcrops, especially the north-south belt and the Bellefontaine outlier, covered a larger area in the Pleistocene. If so, considerably more erosional fragments would have been derived from them than would otherwise seem possible from their current limited extents.

The uranium (U) and radon (Rn) concentrations in Ohio Shale samples were reported in Harrell and Kumar (1988) and Harrell and others (1991). The arithmetic mean concentrations for the outcrops investigated were as follows: 26.7 ppm U and 4933 pCi/kg (picocuries per kilogram of sample) Rn for the Bellefontaine outlier in western Ohio; between 17.0 and 19.4 ppm U and 2950 to 3239 pCi/kg Rn for the north-south belt; and, decreasing from west to east, 10.8 to 4.4 ppm U and 1218 to 423 pCi/kg Rn for the belt along the Lake Erie shore in northeast Ohio. The results for the outcrop in the northwest corner of the state are inconclusive because only radon was measured (1165 pCi/kg mean) and the few samples collected came from just one locality. Ohio Shale fragments derived from the northeast belt (and possibly also the northwest belt) could not be a significant source of radon in the tills, but those from the other outcrops would be. The above findings are consistent with the variation of aerial radiometric surface concentration of uranium in the state (fig. 6). This parameter reflects the uranium content of the topmost several inches of soil. In Kentucky, the southern continuation of the Ohio Shale outcrop (the Chattanooga Shale) also shows a strong correlation with surficial uranium (Peake and Schumann, 1991).

There are essentially no data on how much of the Ohio Shale has been incorporated into the glacial and alluvial sediments of central and western Ohio. Oldfield (1977) encountered



FIGURE 5.—Directions of Wisconsinan glacial ice movement, area of Ohio Shale outcrop, and geometric mean indoor radon concentrations for zip code areas in Ohio. Directions of ice movement are inferred from Goldthwait and others (1961).



FIGURE 6.—Generalized bedrock geology of Ohio and aerial radiometric surface concentrations of uranium (after Bownocker, 1947, and Duval, 1985, respectively).

clasts of Ohio Shale in pebble counts for till in Preble and Butler Counties, and Gooding (1973) reported that pebbles of Ohio Shale are common in the Wisconsinan tills of eastern Indiana (in the westward continuation of the Miami Lobe). All of these clasts were presumably derived from the Ohio Shale outcrop in northwest Ohio and its continuation in northeast Indiana (the Antrim Shale). Brown (1985) observed abundant black shale clasts in Wisconsinan tills of southwest Ontario that were derived from the underlying Ohio Shale equivalent, the Kettle Point Formation. Pebble counts would probably greatly underestimate the abundance of Ohio Shale in glacial and alluvial deposits. This rock is soft, and so is easily eroded and comminuted. Its fragments may thus largely exist as fine-grained sediment.

CALCAREOUS SOIL AS A SOURCE OF RADON

The hypothesis of uranium-rich Ohio Shale clasts in tills provides a reasonably good explanation for much of the distribution of high indoor radon levels in the state. We believe, however, that there is another important source of radon associated with Ohio tills: calcareous soils.

Glacial deposits in western Ohio are enriched in limestone and dolostone clasts derived from the underlying bedrock. During weathering, the carbonate fraction in these deposits is easily dissolved and the insoluble residues (largely clay and iron oxides and hydroxides) are concentrated in the resulting soil. In advanced stages of development, these soils have a reddish color and are called "terra rossa" or red earth. Less mature, carbonate-rich soils are more typical of Ohio, and these may be termed "calcareous soils."

Limestones and dolostones generally contain less than 3 ppm uranium (Haglund, 1972; Dyck, 1978). However, soils developed on such rocks would have much higher uranium levels because this element is retained in the insoluble residue (Kukoc, 1980; Rose and others, 1988; Schultz and Brower, 1991). Calcareous soils, and terra rossas especially, can thus be potent radon sources.

Soils formed in Ohio during the interglacial periods of the last Ice Age. The Sangamon interglaciation, between the Illinoian and Wisconsinan advances, is especially well known as a period of deep weathering. With each new advance of the glaciers these soils were eroded and incorporated into the next-formed till. Remnants of these ancient buried soils ("paleosols") can still be seen at several localities in western Ohio. According to Quinn and Goldthwait (1985, p. 13) these soils "typically exhibit (1) distinctive red-brown color, (2) clay enrichment, and (3) ghosts of former calcareous material. In some cases, leached reddish pods of paleosol are incorporated into the overlying till." Paleosols are almost nonexistent in the Erie and Killbuck Lobes, but become more common to the south, especially in the southern parts of the Miami and Scioto Lobes (Michael P. Angle, Ohio Division of Water, personal communication, 1990).

Calcareous soils have also formed on the present-day land surface in western Ohio (Forsyth, 1965). These soils, where developed on the Wisconsinan tills, show a decrease in depth of leaching and an increase in clay content from south to north. The northward increase in clay is probably related to the increasing proximity of the Ohio Shale outcrop and fine-grained proglacial sediments deposited in ancient precursors of Lake Erie. The southward increase in depth of leaching results from longer exposure of these areas following the northward retreat of the glaciers.

Soil development in western Ohio, with the concomitant concentration of uranium, is consistent with the observed radon distribution. Higher radon levels to the south correlate with the greater development of both modern and ancient soils in this region. Uranium enrichment may also have occurred directly in the Wisconsinan tills if a significant portion of these deposits was derived from the glacial erosion of earlier soils.

Soils have developed, of course, in all parts of Ohio, but those in the western half of the state are quite different because they are ultimately derived from material coming from soluble carbonate bedrock. Soils developed above the insoluble conglomerates, sandstones, and shales that make up most of the bedrock in eastern Ohio would contain substantially smaller amounts of uranium. In parts of central Ohio, east of the carbonate outcrops, the soils above the Mississippian bedrock could easily be enriched in uranium if the underlying till contains abundant carbonate clasts carried in from the west. These conclusions are well supported by the distribution of surficial uranium in the state (fig. 6).

Figures 7 and 8 show how the surficial uranium is related to glacial geology and indoor radon. In these figures, the correlations between uranium concentrations above 3 ppm and the locations of the glacial lobes and high radon levels are striking and further support the hypothesis that calcareous soils developed on till are a major radon source.

SAND AND GRAVEL DEPOSITS AS CONDUITS FOR RADON

It is commonly observed in radon studies that higher indoor radon levels are associated with sand and gravel deposits. Such an association has already been documented for parts of Ohio (for example, Smith and Mapes, 1989; Khawaja and others, 1989). This observation would seem to indicate that the sand and gravel clasts are enriched in uranium, but such enrichment is unlikely in Ohio, as pointed out earlier. It might also seem that these highly permeable deposits could act as conduits for upward-migrating radon that was generated in some underlying uranium-rich source. This circumstance, too, is unlikely, except in areas where the sand and gravel is less than about 5 m thick (James K. Otton, U.S. Geological Survey, personal communication, 1993). However, while unusual, it is not unknown for significant quantities of radon to survive longer migration distances in special circumstances (see the discussion in Harrell and others, 1991). It is, we believe, the high permeability of the sand and gravel that is important here. Potent radon sources are not needed where buildings are located above such deposits: a greater proportion of the small amount of radon produced by uranium-poor source materials will survive the trip to the surface than would be the case for other types of surficial deposits with lower permeabilities.

Figure 9 compares the arithmetic means of geometric mean radon concentrations for zip code areas in Ohio with and without extensive glacial or alluvial sand and gravel deposits. It can be seen in this plot, for all concentration ranges, that higher radon levels are associated with sand and gravel. Areas in Ohio with abundant sand and gravel are shown in figure 10. Once again, it can be seen that there are many high radon levels that are directly correlated with these deposits. The zip code area near the border of Carroll and Harrison Counties in eastern Ohio (see fig. 2 for county locations) appears to be anomalous because it has a high average radon concentration but apparently no sand and gravel. Some other geological factor is obviously at work here.

We conclude from figures 9 and 10 that sand and gravel deposits help to elevate indoor radon concentrations by making it possible for the gas to reach the surface from weak sources within the sediment that would not otherwise contribute radon to houses. In some cases these deposits may contain large amounts of stronger radon source materials such as



FIGURE 7.—Generalized glacial geology of Ohio and aerial radiometric surface concentrations of uranium (after Goldthwait and others, 1961, and Duval, 1985, respectively).



FIGURE 8.—Aerial radiometric surface concentrations of uranium (after Duval, 1985) and geometric mean indoor radon concentrations for zip code areas in Ohio.



FIGURE 9.—Arithmetic means of geometric mean indoor radon concentrations for zip code areas in Ohio with and without extensive glacial or alluvial sand and gravel deposits.

clasts of Canadian granite and gneiss or Ohio Shale, or they may allow significant amounts of radon from an underlying bedrock or paleosol source to pass through to the surface.

OTHER GEOLOGICAL FACTORS

It has been observed in other parts of the country that houses receiving natural gas from nearby bedrock storage or production reservoirs sometimes have elevated indoor radon levels (Mueller Associates and others, 1988). Radon is picked up by the gas from the rock making up the reservoir (generally a sandstone or dolostone) and then released in houses when the gas is burned. In Ontario, elevated levels of radon in soils are consistently associated with producing oil fields and natural oil seeps (James Tilsley, Aurora Environmental Surveys Ltd., personal communication, 1992). The suggestion is that upward-migrating hydrocarbons carry either uranium or radium from deep source rocks to the surface. In the present study, no correlation was found between high indoor radon concentrations and underground gas-storage facilities or producing oil fields in Ohio. However, it has yet to be determined whether there is a radon problem for domestic gas wells in the state.

Soil drainage and permeability might be expected to have a significant effect on the amount of radon reaching the surface. In the present study, rough estimates were obtained for these parameters for the soil associations in each zip code area, but no correlations with radon were found. These relationships need to be reevaluated using information collected for individual houses. Although surficial deposits may be fine grained, they are not necessarily of low permeability, as commonly represented in soil descriptions. In well-drained areas, clay-rich deposits develop desiccation fractures that can serve as pathways for radon migration. It was not possible, however, to consider such fracture permeability in this study. Peake and Schumann (1991) have suggested that the best indication of "geologic radon potential" for an area would come from a consideration of both soil permeability and aerial radiometric surface concentration of uranium. Although, in principle, this approach is reasonable, it is currently impractical for Ohio because of the inadequacies of the available permeability data.

Analyses of the Mississippian St. Genevieve Formation in southern Indiana have yielded the following arithmetic mean uranium concentrations for various lithologies: limestone, 3.65 ppm; dolomitic limestone, 4.83 ppm; dolostone, 4.35 ppm; shale, 4.26 ppm; and chert, 10.3 ppm (Nancy Hasenmueller, Indiana Geological Survey, personal communication, 1990). It appears that the chert has been enriched in uranium, perhaps by the diagenetic process responsible for silicification. Abundant chert is found in the Devonian carbonate bedrock of Ohio in the Detroit River Group and Columbus and Delaware Limestones (Hatfield, 1975; Charles F. Kahle, Bowling Green State University, personal communication, 1992). None of these formations has been analyzed for uranium, but the observed distribution of radon is not inconsistent with uranium enrichment of the chert. For example, in figure 3 it can be seen that there are numerous zip code areas with radon levels above 4 pCi/l on the Columbus and Delaware outcrop and also just to the west where the Detroit River is the bedrock. It was pointed out earlier that Licking County has the highest average radon level of any county in Ohio. It may not be a coincidence that the zip code area within this county with the most radon (16.0 pCi/l on average) contains the historically famous Flint Ridge, where chert in the Pennsylvanian Allegheny Group is abundant at the surface.

Studies of radon in ground water (Hume, 1991; Muller, 1992; Stewart, 1993) have found higher average radon concentrations in water from the Columbus and Delaware Limestones than from the overlying Ohio Shale. This may reflect uranium enrichment in the chert, but it might also be explained by the mechanism proposed by Hand and Banikowski (1988) for a similar limestone/black shale sequence in New York. They argued that uranium had been leached from the overlying black shale by downward circulating ground water and redeposited in the limestone, probably in the clay-rich layers lining the fractures.

The several geologic controls discussed in this report together do a very good job of explaining the distribution of indoor radon in Ohio. They cannot, however, explain all the occurrences of high radon levels, and so there must be other, yet unrecognized, controls. We hope that the radon database for Ohio will be expanded in the coming years; if it is, our understanding of the geologic controls on indoor radon will surely improve.

SUMMARY

Zip code areas with average indoor radon concentrations of 4 pCi/l or greater are located primarily in central and western Ohio; most of the rest are in the northeastern part of the state. Nearly all of these areas are closely associated with Wisconsinan till, and the majority occur in the Scioto and Miami Lobes. The radon in houses appears to originate in the till from one or both of the following two sources: (1) uranium-enriched Ohio Shale fragments that have been eroded from outcrops in central and western Ohio and incorporated into the till; and (2) uranium-enriched calcareous soils developed on tills derived from the underlying, less uraniferous limestone and dolostone bedrock.

Many areas with high radon concentrations are also associated with glacial or alluvial sand and gravel deposits. It appears that the high permeability of these deposits, rather than their composition, is responsible for the elevated radon levels. The sand and gravel facilitate the escape of radon gas to the surface from weak radon source materials within the deposit.

No relationships were observed between indoor radon levels and (1) locations of oil and gas storage or production fields, or (2) soil drainage and permeability. There was some tenta-



FIGURE 10.—Areas with extensive sand and gravel deposits in Ohio (as interpreted from Goldthwait and others, 1961) and geometric mean indoor radon concentrations for zip code areas.

tive evidence suggesting that chert in the carbonate bedrock may be enriched in uranium, and so act as a significant radon source.

The single geologic parameter that correlates best with the distribution of indoor radon is the soil uranium concentration as determined from aerial radiometric surveys. However, the correlation is not sufficiently good for this parameter to accurately predict indoor radon levels.

REFERENCES CITED

Baldwin, A. D., 1991, Geologic controls on radon activities in ground water from southwestern Ohio (abs.): Geological Society of America Abstracts with Programs, v. 23, no. 3, p. 3.

Bates, T. F., and Strahl, E. O., 1958, Mineralogy and chemistry of uranium-bearing black shales, *in* Survey of raw materials resources: Proceedings of the Second United Nations International Conference on the Peaceful Uses of Atomic Energy, v. 2, p. 407-411.

Bownocker, J. A., 1947, Geologic map of Ohio: Ohio Division of Geological Survey Map 1.

Brown, G. O., 1985, Comparative geochemistry of southwestern Ontario black shales, in bedrock and till clasts, for glacier provenance: B.S. thesis (unpub.), University of Western Ontario, 134 p.

Duval, J. S., 1985, Aerial radiometric contour maps of Ohio—Map A, Surface concentration of uranium: U.S. Geological Survey Geophysical Investigations Map GP-968.

Dyck, Willy, 1978, The mobility and concentration of uranium and its decay products in temperate surficial environments, *in* Kimberly, M. M., ed., Uranium deposits, their mineralogy and origin: Mineralogical Association of Canada Short Course Handbook, v. 3, p. 57-100.

Forsyth, J. L., 1965, Contribution of soils to the mapping and interpretation of Wisconsin tills in western Ohio: Ohio Journal of Science, v. 65, p. 220-227.

Gesell, T. F., 1983, Background atmospheric Rn-222 concentrations outdoors and indoors—a review: Health Physics, v. 45, p. 289-302.

Gesell, T. F., and Prichard, H. M., 1980, The contribution of radon in tap water to indoor radon concentration, *in* Gesell, T. F., and Lowder, W. M., eds., Natural radiation environment III: U.S. Department of Energy, Technical Information Center, Report CONF-780422, v. 2, p. 1347-1363.

Goldthwait, R. P., 1969, Till stratigraphy from Columbus southwest to Highland County, Ohio, (Field Trip No. 2), *in* Guidebook for field trips, 3rd annual meeting, North-Central Section of Geological Society of America: Ohio Division of Geological Survey, p. 2.1-2.17.

Goldthwait, R. P., Stewart, D. P., Franzi, D. A., and Quinn, M. J., 1981, Quaternary deposits of southwestern Ohio (Field Trip No. 9), *in* Roberts, T. G., ed., GSA Cincinnati '81 Field Trip Guidebooks: American Geological Institute, v. 3, p. 409-432.

Goldthwait, R. P., White, G. W., and Forsyth, J. L., 1961, Glacial map of Ohio: U.S. Geological Survey Miscellaneous Investigations Map I-316.

Gooding, A. M., 1973, Characteristics of Late Wisconsin tills in eastern Indiana: Indiana Geological Survey Bulletin 49, 28 p.

Gundersen, L. C. S., Schumann, R. R., Otton, J. K., Owen, D. E., and Dubiel, R. F., 1991, Geologic radon potential of the United States (abs.): Geological Society of America Abstracts with Programs, v. 23, no. 1, p. 39.

Haglund, D. S., 1972, Uranium—element and geochemistry, *in* Fairbridge, R. W., ed., The encyclopedia of geochemistry and environmental sciences: New York, Van Nostrand Reinhold Co., Encyclopedia of Earth Sciences Series, v. 4A, p. 1215-1222.

Hand, B. M., and Banikowski, J. E., 1988, Radon in Onondaga County, New York—paleohydrogeology and redistribution of uranium in Paleozoic sedimentary rocks: Geology, v. 16, p. 775-778.

Harrell, J. A., Belsito, M. E., and Kumar, Ashok, 1991, Radon hazards associated with outcrops of the Ohio Shale in Ohio: Environmental Geology and Water Sciences, v. 18, p. 17-26.

Harrell, J. A., and Kumar, Ashok, 1988, Radon hazards associated with outcrops of the Devonian Ohio Shale: Departments of Geology and Civil Engineering, University of Toledo, final report for a grant from the Ohio Air Quality Development Authority, 164 p.

__________ 1989, Multivariate stepwise regression analysis of indoor radon data from Ohio, U.S.A.: Journal of Official Statistics, v. 5, no. 4, p. 409-420.

Hatfield, C. B., 1975, Discussion—replacement of fossils by length-slow chalcedony and associated dolomitization: Journal of Sedimentary Petrology, v. 45, p. 951-952.

Hess, C. T., Michel, J., Horton, T. R., Prichard, H. M., and Coniglio, W. A., 1985, The occurrence of radioactivity in public water supplies in the United States: Health Physics, v. 48, p. 553-586.

Hoover, K. V., 1956, Prospecting for uranium in Ohio: Ohio Division of Geological Survey Educational Leaflet 1, p. 5-7.

Hudson, T. B., and Nelson, R. S., 1990, Radon levels governed by Quaternary glacial deposits and Paleozoic black shales in Illinois (abs.): Geological Society of America Abstracts with Programs, v. 22, no. 5, p. 14-15.

Hume, D. S., 1991, Structural geology and radon gas in ground water in parts of Erie, Huron and Seneca Counties, Ohio: M.S. thesis (unpub.), University of Toledo, 257 p.

Kempton, J. P., and Goldthwait, R. P., 1959, Outwash terraces of the Hocking and Scioto River valleys, Ohio: Ohio Journal of Science, v. 59, p. 135-151.

Khawaja, I. U., Abram, E. C., and Singler, C. R., 1989, Indoor radon research in Ashtabula, Trumbull, Mahoning and Columbiana Counties, Ohio: Department of Geology, Youngstown State University, final report for a grant from the Ohio Air Quality Development Authority, 117 p.

Kukoc, A. H., 1980, Natural gamma-ray spectra of terra rossa soil and phosphate ore: Environment International, v. 3, p. 385-387.

Kumar, Ashok, Heydinger, A. G., and Harrell, J. A., 1990, Development of an indoor radon information system for Ohio and its application in the study of the geology of radon in Ohio: Departments of Civil Engineering and Geology, University of Toledo, final report for a grant from the Ohio Air Quality Development Authority, 201 p.

McKenna, J. P., 1991, Geology of radon in Ohio: M.S. thesis (unpub.), University of Toledo, 199 p.

Mueller Associates, Syscon Corp., and Brookhaven National Laboratory, 1988, Handbook of radon in buildings—detection, safety and control: Philadelphia, Hemisphere Publishing Corp., under direction and authority of U.S. Department of Energy, Office of Environmental Analysis, 261 p.

Muller, B. E., 1992, Geology and radon gas in ground water in parts of Delaware, Marion and Morrow Counties, Ohio: M.S. thesis (unpub.), University of Toledo, 111 p.

Nero, A. V., 1988, Radon and its decay products in indoor air—an overview, *in* Nazaroff, W. W., and Nero, A. V., eds., Radon and its decay products in indoor air: New York, John Wiley and Sons, p. 1-53.

Nero, A. V., Schwehr, M. B., Nazaroff, W. W., and Reuzan, K. L., 1986, Distribution of airborne radon-222 concentrations in U.S. homes: Science, v. 234, p. 992-997.

Oldfield, J. H., 1977, A study of the Sidney interstadial weathering profile and Middle Wisconsin till in portions of Preble and Butler Counties, southwestern Ohio: M.S. thesis (unpub.), Miami University, 115 p.

Otton, J. K., 1992, The geology of radon: U.S. Geological Survey, 29 p.

Peake, R. T., and Schumann, R. R., 1991, Regional radon characterizations, *in* Gundersen, L. C. S., and Wanty, R. B., eds., Field studies of radon in rocks, soils, and water: U.S. Geological Survey Bulletin 1971, p. 163-175.

Quinn, M. J., and Goldthwait, R. P., 1979, Glacial geology of Champaign County, Ohio: Ohio Division of Geological Survey

Report of Investigations 111, 17 p., map.
__________ 1985, Glacial geology of Ross County, Ohio: Ohio Division of Geological Survey Report of Investigations 127, 42 p., map.
Rand McNally, 1988, Zip code atlas and market planner: Chicago, Rand McNally and Co., 128 p.
Rose, A. W., Washington, J. W., and Greeman, D. J., 1988, Variability of radon with depth and season in a central Pennsylvania soil developed on limestone: Northeastern Environmental Science, v. 7, no. 1, p. 35-39.
Rosengreen, T. E., 1974, Glacial geology of Highland County, Ohio: Ohio Division of Geological Survey Report of Investigations 92, 36 p., map.
Schultz, A., and Brower, S. D., 1991, Geologic and environmental implications of high radon soil-gas concentrations in carbonate rocks of the Appalachian Great Valley, West Virginia (abs.): Geological Society of America Abstracts with Programs, v. 23, no. 1, p. 125.
Singler, C. R., Khawaja, I. U., and Abram, E. C., 1991, Radon in eastern Ohio—the geologic connection (abs.): Geological Society of America Abstracts with Programs, v. 23, no. 3, p. 60.
Smith, G. W., and Darr, R. L., 1991, The influence of glacial geology on radon levels in Ohio homes (abs.): Geological Society of America Abstracts with Programs, v. 23, no. 3, p. 60.
Smith, G. W., and Mapes, R. H., 1989, Radon hazards associated with glacial deposits in Ohio: Department of Geological Sciences, Ohio University, final report for a grant from the Ohio Air Quality Development Authority, 172 p.
Stewart, R. J., 1993, Geology and radon gas in ground water in parts of Crawford, Marion and Morrow Counties, Ohio: M.S. thesis (unpub.), University of Toledo, 130 p.
Storck, R. J., and Szabo, J. P., 1991, Lithofacies and mineralogy of the Late Wisconsinan Navarre Till in Stark and Wayne Counties: Ohio Journal of Science, v. 91, p. 90-97.
Stout, Wilber, Ver Steeg, Karl, and Lamb, G. F., 1943, Geology of water in Ohio: Ohio Division of Geological Survey Bulletin 44, 694 p.
Strobel, M. L., and Faure, Gunter, 1987, Transport of indicator clasts by ice sheets and the transport half-distance—a contribution to prospecting for ore deposits: Journal of Geology, v. 95, p. 687-697.
Swanson, V. E., 1960, Oil yield and uranium content of black shales: U.S. Geological Survey Professional Paper 356-A, 44 p.
Szabo, J. P., and Totten, S. M., 1992, Glacial dispersal rejuvenation on the Allegheny Plateau, north-central Ohio, based on till carbonate patterns: Journal of Sedimentary Petrology, v. 62, p. 1044-1053.
Tanner, A.B., 1986, Geological factors that influence radon availability, *in* Proceedings of Air Pollution Control Association International Specialty Conference: Air Pollution Control Association, Publication SP-54, p. 1-12.
__________ 1988, Rock and soil as sources of indoor radon in Ohio (abs.), *in* Radon: problems and perspectives—status of current radon research: Youngstown State University, Northeastern Ohio Radon Conference, p. 7.
Tracy, B. M., 1983, The characterization of the chemical and trace element content of selected oil shales of Ohio: M.S. thesis (unpub.), University of Toledo, 242 p.
U.S. Environmental Protection Agency, 1987, Removal of radon from household water: U.S. Environmental Protection Agency, Office of Research and Development, Publication OPA-87-011, 9 p.
__________ 1989a, Application of radon reduction methods: U.S. Environmental Protection Agency, Office of Research and Development, Publication 625-5-88-024, 94 p.
__________ 1989b, Radon reduction techniques in schools: U.S. Environmental Protection Agency, Office of Air and Radiation Research and Development, Publication 520-1-89-020, 54 p.
__________ 1991, Radon resistant construction techniques for new residential construction: U.S. Environmental Protection Agency, Office of Research and Development, Publication 625-2-91-032, 43 p.
__________ 1992a, A citizen's guide to radon—what it is and what to do about it: U.S. Environmental Protection Agency, Office of Air and Radiation, Publication 402-K-92-001, 15 p.
__________ 1992b, Consumers guide to radon reduction: U.S. Environmental Protection Agency, Office of Air and Radiation, Publication 402-K-92-003, 17 p.
__________ 1993a, Radon measurement in schools: U.S. Environmental Protection Agency, Office of Radiation Programs, Publication 402-R-92-014, 33 p.
__________ 1993b, Home buyers and sellers guide to radon: U.S. Environmental Protection Agency, Office of Air and Radiation, Publication 402-R-93-003, 32 p.
Walsh, H. T., Jr., 1990, Radon gas in the ground water of the Bellefontaine Outlier area, Logan, Hardin, Champaign and Union Counties, Ohio: M.S. thesis (unpub.), University of Toledo, 160 p.

APPENDIX.—RADON STATISTICS FOR OHIO

Abbreviations used:

Zip = zip code area
No = number of indoor radon measurements
Md = median radon concentration
GM = geometric mean radon concentration
AM = arithmetic mean radon concentration
Q1 = first quartile (25th percentile) of the radon concentration distribution
Q3 = third quartile (75th percentile) of the radon concentration distribution
Min = minimum radon concentration
Max = maximum radon concentration
SD = standard deviation of the radon concentration
CV = coefficient of variation for the radon concentration (*i.e.*, SD/AM • 100)

Note: all concentrations are in picocuries of radiation per liter of air

PART I: RADON STATISTICS FOR OHIO COUNTIES

County	No	Md	GM	AM	Q1	Q3	Min	Max	SD	CV
Adams	41	2.1	1.8	2.8	1.2	3.3	0.1	14.7	2.9	102.1
Allen	153	4.4	3.9	6.3	2.2	7.6	0.1	62.6	7.4	117.3
Ashland	86	4.0	4.3	7.9	2.3	7.1	0.6	79.6	12.8	162.3
Ashtabula	414	1.0	1.0	1.7	0.5	1.8	0.1	28.3	2.7	155.1
Athens	505	4.6	3.8	5.4	2.4	7.1	0.1	82.1	5.8	107.6
Auglaize	147	4.6	4.3	7.8	2.6	10.1	0.1	64.5	9.3	118.8
Belmont	111	2.8	3.2	5.3	1.6	6.6	0.1	33.9	6.1	115.6
Brown	21	1.9	1.5	2.7	0.5	2.4	0.1	18.3	3.9	143.4
Butler	1347	3.2	3.1	5.2	1.6	6.6	0.1	70.3	6.0	116.4
Carroll	107	5.0	6.3	19.9	2.6	14.9	0.1	189.0	38.2	192.2
Champaign	1399	6.1	5.7	10.9	3.1	11.8	0.1	750.1	31.0	285.0
Clark	275	3.9	3.6	5.8	2.1	6.8	0.1	73.0	7.0	121.4
Clermont	396	2.8	2.8	5.5	1.5	5.4	0.1	470.8	24.0	432.5
Clinton	308	3.2	3.0	5.4	1.6	5.9	0.1	55.6	7.9	146.5
Columbiana	301	3.0	3.2	6.6	1.6	6.4	0.1	234.2	15.9	241.1
Coshocton	46	4.4	4.9	9.3	2.2	11.9	0.1	60.5	12.3	132.0
Crawford	84	5.7	5.2	11.0	2.8	11.6	0.1	163.0	20.4	185.4
Cuyahoga	2036	1.4	1.3	2.2	0.7	2.5	0.1	74.5	3.3	151.1
Darke	273	6.0	4.9	10.1	2.3	11.4	0.1	125.0	14.3	141.4
Defiance	61	2.6	2.6	3.6	1.7	4.3	0.1	13.1	3.0	84.4
Delaware	642	6.1	5.9	8.7	3.5	10.4	0.1	95.5	9.0	103.3
Erie	197	3.7	3.7	7.4	1.7	8.2	0.1	80.3	11.6	155.7
Fairfield	539	6.8	6.0	12.0	3.0	12.2	0.1	340.5	25.4	212.1
Fayette	38	4.3	3.2	5.3	1.9	7.1	0.1	38.3	6.3	118.0
Franklin	10020	7.0	6.7	10.9	3.8	12.7	0.1	1333.9	19.1	176.1
Fulton	64	1.9	1.8	2.9	0.8	3.3	0.1	13.1	3.2	108.9
Gallia	72	2.7	2.1	3.0	1.1	3.7	0.2	10.6	2.4	79.7
Geauga	261	1.6	1.6	5.6	0.9	2.9	0.1	733.8	45.4	813.2
Greene	2172	4.9	4.4	7.6	2.4	9.0	0.1	163.0	10.7	139.7
Guernsey	74	2.7	2.8	5.9	1.3	5.1	0.3	108.1	13.0	218.5
Hamilton	3057	2.0	1.9	3.1	1.0	3.8	0.1	52.5	3.8	124.3
Hancock	96	3.5	3.4	6.0	1.5	7.3	0.1	39.1	7.5	124.8
Hardin	39	3.7	3.2	5.5	1.6	8.4	0.1	26.2	5.2	93.3
Harrison	29	6.0	7.1	13.5	2.8	16.5	0.7	60.7	16.2	120.2
Henry	41	2.7	1.8	2.8	0.9	4.1	0.1	7.8	2.0	70.6
Highland	69	2.9	2.8	4.5	1.4	5.9	0.1	31.0	4.8	106.8
Hocking	99	6.7	5.9	10.1	3.1	11.5	0.1	99.5	13.8	136.7
Holmes	20	4.3	4.1	7.8	1.1	8.8	0.6	50.5	11.0	141.1
Huron	246	4.8	4.6	8.4	2.5	10.1	0.1	99.3	11.6	137.3
Jackson	54	2.0	2.1	3.8	1.1	4.9	0.2	21.3	4.6	121.7
Jefferson	108	3.3	3.8	23.8	1.9	8.3	0.1	1927.6	185.0	777.3
Knox	170	6.8	7.1	13.4	3.0	15.4	0.1	212.4	23.0	170.7
Lake	343	1.4	1.3	2.7	0.7	2.7	0.1	31.2	4.2	158.3
Lawrence	50	1.9	2.0	2.9	1.2	3.2	0.2	16.3	3.1	104.3
Licking	946	11.8	11.5	26.0	5.2	26.5	0.1	559.0	48.8	188.1
Logan	255	5.0	4.5	9.1	2.3	9.1	0.1	319.2	22.0	242.4
Lorain	318	2.7	2.6	4.4	1.4	5.7	0.1	28.0	4.7	106.5
Lucas	805	2.2	2.1	3.9	1.2	4.0	0.1	125.5	8.0	203.8
Madison	166	5.7	5.1	10.3	2.5	10.7	0.1	70.4	13.9	135.4
Mahoning	552	1.8	1.8	3.2	1.0	3.0	0.1	207.0	11.4	354.9
Marion	255	5.9	5.4	8.4	3.2	10.6	0.1	60.8	8.4	100.3
Medina	168	2.3	2.7	4.3	1.5	4.3	0.4	42.3	6.4	148.1
Meigs	28	2.0	1.6	2.2	1.0	3.2	0.2	6.4	1.5	67.3
Mercer	183	4.6	4.2	6.9	2.1	8.3	0.1	56.1	8.1	115.8
Miami	1746	5.6	5.4	9.0	2.9	10.3	0.1	252.0	13.8	153.0
Monroe	18	3.8	3.6	6.0	1.8	5.8	0.7	39.3	8.8	145.8
Montgomery	11611	3.6	3.3	6.0	1.7	7.0	0.1	1267.8	15.8	263.8
Morgan	29	3.4	3.3	5.2	1.8	5.8	0.1	27.0	5.7	108.8
Morrow	60	5.4	4.9	8.8	2.4	10.4	0.1	54.6	10.3	117.2
Muskingum	185	5.2	5.0	8.6	2.6	9.2	0.4	129.0	13.0	151.4

County	No	Md	GM	AM	Q1	Q3	Min	Max	SD	CV
Noble	12	3.1	3.0	3.5	1.7	4.6	1.1	8.7	2.0	58.3
Ottawa	74	2.0	1.9	3.6	1.0	3.9	0.1	26.7	4.8	132.5
Paulding	23	2.3	1.6	2.7	0.6	3.3	0.1	9.5	2.5	92.2
Perry	39	2.4	2.9	4.4	1.6	5.3	0.6	19.4	4.8	107.2
Pickaway	384	7.4	7.5	12.0	3.8	14.8	0.1	102.5	13.1	109.7
Pike	59	7.4	5.1	9.1	2.3	13.4	0.1	43.3	8.3	91.7
Portage	210	1.8	1.8	3.1	0.9	3.9	0.1	35.4	3.8	122.2
Preble	274	5.1	4.6	8.6	2.2	10.2	0.1	90.3	10.5	122.6
Putnam	31	4.5	3.9	5.6	1.9	7.8	0.1	20.2	4.4	77.8
Richland	635	4.6	4.5	9.1	2.4	9.3	0.1	274.0	18.6	205.5
Ross	425	7.3	6.2	11.4	3.0	13.4	0.1	123.0	13.6	119.2
Sandusky	62	4.0	3.5	4.8	2.5	5.7	0.1	26.8	4.1	85.8
Scioto	67	2.3	2.4	3.8	1.3	3.6	0.4	29.5	4.8	127.4
Seneca	157	5.2	3.7	6.7	2.1	8.4	0.1	59.8	7.2	107.8
Shelby	216	5.4	4.2	6.9	2.1	8.9	0.1	48.6	7.6	108.8
Stark	773	3.5	3.4	5.6	1.8	6.6	0.1	68.7	6.7	120.4
Summit	817	2.3	2.3	4.4	1.3	4.4	0.1	319.0	13.3	301.9
Trumbull	408	1.6	1.5	2.2	0.9	2.5	0.1	71.7	4.0	176.2
Tuscarawas	68	5.0	4.4	7.5	2.3	9.6	0.1	32.2	7.4	99.9
Union	140	2.4	2.8	5.3	1.5	5.8	0.1	61.5	7.4	141.1
Van Wert	46	4.4	4.0	6.0	2.2	6.5	0.5	24.5	5.8	96.7
Vinton	9	3.0	2.7	3.7	1.6	3.4	0.9	13.5	3.8	102.9
Warren	983	3.3	3.1	5.4	1.6	6.2	0.1	219.0	9.4	174.8
Washington	260	2.9	3.0	5.2	1.6	5.0	0.1	91.9	9.3	177.9
Wayne	100	3.8	4.5	11.2	1.8	9.9	0.2	259.0	27.6	246.1
Williams	34	2.6	2.5	5.2	1.2	3.9	0.4	67.8	11.6	222.9
Wood	216	2.8	2.8	4.5	1.6	5.2	0.1	43.1	5.5	121.6
Wyandot	41	3.8	4.2	7.2	2.5	7.6	0.1	44.2	8.8	122.3

PART II: RADON STATISTICS FOR OHIO ZIP CODE AREAS

Zip	No	Md	GM	AM	Q1	Q3	Min	Max	SD	CV
43001	8	5.7	5.7	7.8	2.6	6.0	2.1	25.0	7.6	97.6
43002	8	11.0	10.4	15.2	4.2	21.2	3.2	40.0	13.4	87.8
43003	6	4.3	4.5	6.8	1.9	6.7	1.7	21.4	7.5	110.2
43004	54	6.7	10.2	21.6	4.5	16.7	1.3	120.0	29.5	136.9
43005	2	9.7	8.7	9.7	5.4	9.7	5.4	14.0	6.1	62.7
43008	5	2.4	3.2	4.6	1.3	4.9	1.0	11.5	4.3	93.7
43009	6	7.2	6.2	6.6	4.1	7.7	2.9	9.1	2.2	33.7
43011	17	5.8	6.5	8.8	3.8	11.5	0.8	28.8	7.3	82.1
43013	6	2.6	4.1	7.6	1.5	9.3	1.4	22.2	8.9	117.6
43014	6	5.2	5.3	6.3	2.8	8.0	2.6	11.8	3.8	61.1
43015	200	7.5	6.6	9.0	4.2	11.3	0.3	46.5	7.1	78.6
43017	823	7.9	8.0	12.7	4.3	14.9	0.0	95.4	14.1	110.7
43018	2	15.6	14.9	15.6	11.2	15.6	11.2	19.9	6.2	39.6
43019	35	8.3	7.4	9.6	4.7	15.1	1.5	23.6	6.5	67.8
43020	2	23.0	12.4	23.0	3.6	23.0	3.6	42.5	27.5	119.3
43021	79	6.2	5.8	7.7	4.1	9.9	0.0	28.5	5.7	73.8
43022	36	6.1	6.8	13.0	2.8	13.3	0.5	121.1	20.9	160.9
43023	269	13.8	14.7	35.5	5.9	31.3	0.2	543.5	64.0	180.5
43025	22	5.3	6.8	12.4	3.0	10.8	1.2	57.0	15.6	126.0
43026	351	7.6	6.7	11.0	3.9	13.4	0.0	117.6	12.8	116.2
43028	7	19.0	22.6	49.0	6.9	37.5	5.1	212.4	74.3	151.5
43029	2	6.3	5.8	6.3	3.9	6.3	3.9	8.6	3.3	53.2
43031	42	4.4	4.0	6.2	2.3	7.3	0.0	49.9	8.4	134.3
43032	1	4.8	4.8	4.8	4.8	4.8	4.8	4.8	0.0	0.0
43033	1	18.1	18.1	18.1	18.1	18.1	18.1	18.1	0.0	0.0
43035	1	10.4	10.4	10.4	10.4	10.4	10.4	10.4	0.0	0.0
43040	111	2.2	2.5	4.8	1.5	4.9	0.0	61.5	7.5	155.0
43042	1	2.7	2.7	2.7	2.7	2.7	2.7	2.7	0.0	0.0
43044	21	4.7	3.5	8.0	1.5	9.5	0.0	41.5	10.2	126.9
43045	6	5.2	4.4	7.0	1.5	8.7	0.5	16.6	6.1	87.1
43046	22	3.7	3.4	5.2	1.6	4.2	0.9	29.0	6.4	123.1
43047	1	15.3	15.3	15.3	15.3	15.3	15.3	15.3	0.0	0.0
43050	84	6.3	6.6	12.9	2.9	16.0	0.0	124.7	18.8	146.2
43051	1	8.5	8.5	8.5	8.5	8.5	8.5	8.5	0.0	0.0
43052	1	19.2	19.2	19.2	19.2	19.2	19.2	19.2	0.0	0.0
43054	70	5.2	5.5	8.5	3.4	8.2	0.5	56.9	11.0	129.1
43055	409	15.3	13.8	28.2	6.2	30.4	0.0	559.0	49.5	175.8
43056	55	18.3	16.0	24.3	7.9	33.2	0.9	114.7	22.4	92.1
43060	7	9.7	12.4	19.2	5.6	20.2	3.3	62.7	20.9	108.8
43061	13	5.5	4.6	6.1	2.0	7.8	1.0	17.6	4.5	73.0
43062	87	6.1	5.7	9.9	2.7	10.9	0.0	83.5	14.5	145.9
43064	70	4.9	5.5	11.3	2.2	12.7	0.5	70.4	15.6	137.1
43065	287	5.4	5.6	8.4	3.2	9.7	0.0	95.5	9.5	113.4
43066	2	51.7	51.6	51.7	49.3	51.7	49.3	54.1	3.4	6.6
43067	5	2.5	2.9	3.6	1.6	2.9	1.5	8.9	3.0	83.7
43068	282	6.0	5.5	9.0	3.3	9.8	0.0	180.5	13.9	155.5
43069	1	1.4	1.4	1.4	1.4	1.4	1.4	1.4	0.0	0.0
43071	9	14.5	9.7	24.8	3.3	32.7	0.1	78.4	26.0	104.5
43072	55	4.2	4.3	7.5	2.2	8.8	0.0	43.2	9.2	123.7
43074	53	4.8	5.6	9.7	2.6	9.0	0.8	64.1	12.9	132.4
43076	28	5.7	4.5	13.1	1.4	10.1	0.2	161.1	30.0	229.7
43078	159	5.3	4.8	9.2	2.7	10.4	0.0	265.3	21.7	236.3
43080	14	5.2	6.1	15.1	2.0	13.5	1.7	119.3	30.6	202.9
43081	780	6.2	5.5	8.0	3.4	9.9	0.0	90.6	8.2	101.8
43084	1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	0.0	0.0
43085	1317	9.5	8.4	13.7	4.7	18.1	0.0	369.9	18.3	133.6
43102	7	.9	5.9	7.1	3.2	7.3	3.0	15.0	5.0	70.5
43103	89	11.5	9.3	17.4	4.2	23.1	0.0	102.5	19.5	112.3
43105	49	5.5	5.1	7.3	2.6	7.6	1.0	37.2	7.0	97.0
43106	3	1.8	1.0	2.3	0.1	2.6	0.1	5.0	2.5	108.2
43107	10	6.8	5.0	7.6	1.5	9.5	0.8	21.3	6.3	83.2
43109	4	6.7	7.5	9.3	3.4	6.8	3.4	20.5	7.6	81.6
43110	107	9.7	8.8	13.7	5.1	17.5	0.0	73.6	12.3	90.1
43111	1	21.2	21.2	21.2	21.2	21.2	21.2	21.2	0.0	0.0
43112	72	7.1	6.7	14.2	3.2	14.2	0.0	238.5	29.5	207.2
43113	204	7.7	7.8	11.5	4.3	14.3	0.5	61.5	10.7	92.9
43115	5	5.9	7.0	8.3	3.7	10.6	3.7	16.1	5.6	66.5
43117	4	5.8	5.1	5.7	2.5	6.9	2.5	8.6	2.7	46.7
43119	55	7.3	7.2	9.6	4.4	14.6	0.7	29.7	6.8	70.8
43120	3	3.5	3.1	3.2	2.5	3.5	2.5	3.5	0.6	18.2
43123	281	5.9	5.3	7.7	3.2	9.7	0.0	47.0	7.0	91.5
43125	64	10.4	9.3	15.3	5.2	21.1	0.0	61.6	13.8	89.9

Zip	No	Md	GM	AM	Q1	Q3	Min	Max	SD	CV
43126	2	11.9	9.8	11.9	5.2	11.9	5.2	18.5	9.4	79.4
43127	1	1.6	1.6	1.6	1.6	1.6	1.6	1.6	0.0	0.0
43128	3	2.7	2.2	3.6	0.5	3.9	0.5	7.5	3.6	100.4
43130	325	8.2	6.5	12.9	3.3	13.0	0.0	340.5	27.8	215.9
43132	1	7.2	7.2	7.2	7.2	7.2	7.2	7.2	0.0	0.0
43135	6	7.8	8.1	9.7	4.7	9.0	3.0	23.2	7.0	72.2
43136	3	14.9	11.0	14.2	3.8	17.1	3.8	23.8	10.0	70.7
43137	6	19.0	16.4	32.8	3.7	39.3	3.0	100.5	37.8	115.2
43138	63	7.3	5.9	9.5	3.4	11.0	0.0	99.5	13.1	137.5
43140	39	5.0	3.8	10.9	1.3	9.6	0.0	68.6	16.8	154.0
43142	1	9.6	9.6	9.6	9.6	9.6	9.6	9.6	0.0	0.0
43143	14	5.0	3.2	5.0	1.4	5.9	0.0	13.1	3.8	76.5
43146	77	4.9	5.5	7.7	2.9	10.8	0.5	41.3	7.0	89.9
43147	354	8.3	7.8	11.4	4.3	14.3	0.0	110.1	11.2	98.4
43148	11	5.6	4.3	8.7	2.8	7.4	0.0	45.7	12.5	144.1
43149	22	6.4	7.3	13.3	2.8	15.6	0.8	85.9	18.2	137.1
43151	3	6.5	3.8	5.3	1.0	7.0	1.0	8.4	3.8	72.5
43152	5	2.0	1.4	3.3	0.3	3.0	0.1	10.2	4.0	122.4
43153	4	6.7	6.8	7.3	4.8	8.6	4.8	10.9	3.0	41.3
43154	7	2.1	2.7	5.4	0.9	6.4	0.3	19.1	6.5	122.1
43155	5	21.9	13.8	21.5	3.5	33.5	2.8	40.2	17.4	80.8
43158	1	7.5	7.5	7.5	7.5	7.5	7.5	7.5	0.0	0.0
43160	31	4.5	3.7	5.6	2.0	7.0	0.5	38.3	6.7	119.4
43162	36	7.2	7.4	10.3	4.5	10.7	1.1	54.4	10.2	99.5
43164	7	5.6	6.6	11.5	2.5	10.4	2.3	45.8	15.5	134.4
43173	1	3.8	3.8	3.8	3.8	3.8	3.8	3.8	0.0	0.0
43188	2	3.8	3.0	3.8	1.5	3.8	1.5	6.2	3.3	86.3
43201	116	7.3	6.8	10.6	3.6	11.1	0.1	53.8	10.8	102.0
43202	154	6.0	5.5	8.7	3.2	9.8	0.0	152.9	13.5	155.9
43203	8	4.5	4.2	7.4	3.0	6.7	0.3	28.1	8.7	118.1
43204	172	5.0	4.9	7.0	3.0	9.7	0.0	30.2	5.9	83.5
43205	25	4.7	4.4	7.3	2.0	7.8	0.4	40.1	8.6	117.8
43206	89	5.4	5.2	6.8	3.3	8.4	0.5	28.2	5.1	75.7
43207	115	7.6	7.4	11.2	4.2	13.3	0.4	88.8	12.7	113.3
43209	429	6.2	5.9	8.4	3.6	10.8	0.0	48.7	7.6	91.0
43210	15	3.0	3.2	5.8	1.3	4.0	1.0	30.7	8.1	139.1
43211	54	4.7	3.9	6.0	3.0	7.6	0.0	25.9	5.2	85.5
43212	188	4.8	4.8	8.5	2.8	8.1	0.1	178.2	17.3	203.3
43213	276	7.5	6.7	11.6	3.2	13.8	0.0	79.6	13.1	113.2
43214	474	7.3	6.6	10.3	3.7	12.6	0.0	73.3	10.2	99.7
43215	69	4.9	4.5	7.4	2.4	9.1	0.0	37.3	7.7	105.1
43216	19	27.9	29.2	53.1	19.6	50.3	1.1	232.0	62.1	117.0
43217	2	6.2	6.1	6.2	5.9	6.2	5.9	6.4	0.4	5.7
43218	3	5.9	6.1	6.6	3.8	6.9	3.8	10.1	3.2	48.6
43219	67	6.9	7.6	13.7	3.9	13.3	0.4	112.2	20.5	149.4
43220	580	6.4	6.1	8.5	3.7	11.1	0.0	47.4	7.2	85.0
43221	490	6.3	6.1	8.8	3.7	10.4	0.0	142.6	10.5	119.3
43222	9	7.2	5.2	7.3	3.0	9.1	0.4	16.4	4.9	66.1
43223	52	5.3	4.6	6.7	2.6	8.7	0.0	25.4	5.4	80.2
43224	187	6.2	5.9	14.5	3.7	9.3	0.0	1333.9	97.2	668.8
43225	1	5.6	5.6	5.6	5.6	5.6	5.6	5.6	0.0	0.0
43226	3	7.6	6.1	7.9	2.1	9.2	2.1	14.0	6.0	75.4
43227	180	8.6	7.7	10.5	4.7	13.4	0.0	76.7	9.0	86.0
43228	197	5.8	5.4	8.6	3.1	10.1	0.0	73.5	9.7	112.6
43229	410	7.0	6.2	9.1	3.7	11.7	0.0	102.8	8.7	95.1
43230	294	7.8	7.8	14.6	3.8	16.7	0.0	417.7	28.1	192.3
43231	65	7.0	6.3	9.1	3.5	11.0	0.3	46.0	8.5	93.4
43232	295	11.2	10.5	16.4	5.9	22.5	0.1	142.8	16.6	100.9
43234	2	8.3	8.3	8.3	8.2	8.3	8.2	8.4	0.1	1.7
43235	417	8.0	7.4	11.5	4.4	13.6	0.0	108.3	12.2	106.5
43239	2	26.9	15.9	26.9	5.2	26.9	5.2	48.6	30.7	114.1
43243	1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	0.0	0.0
43254	1	10.0	10.0	10.0	10.0	10.0	10.0	10.0	0.0	0.0
43264	1	2.9	2.9	2.9	2.9	2.9	2.9	2.9	0.0	0.0
43269	1	9.9	9.9	9.9	9.9	9.9	9.9	9.9	0.0	0.0
43284	1	3.6	3.6	3.6	3.6	3.6	3.6	3.6	0.0	0.0
43285	2	2.3	2.1	2.3	1.4	2.3	1.4	3.1	1.2	53.4
43302	199	5.7	5.3	8.2	3.1	10.7	0.0	55.2	8.1	97.7
43304	1	7.0	7.0	7.0	7.0	7.0	7.0	7.0	0.0	0.0
43305	2	35.5	24.9	35.5	10.2	35.5	10.2	60.8	35.8	100.8
43306	1	6.8	6.8	6.8	6.8	6.8	6.8	6.8	0.0	0.0
43310	9	4.2	6.3	9.3	2.6	12.5	2.3	29.8	9.1	98.2
43311	142	5.7	5.3	10.4	2.4	9.8	0.0	319.2	27.5	264.1
43313	3	3.1	3.2	3.2	2.9	3.3	2.9	3.7	0.4	12.9
43314	14	7.4	5.8	7.8	3.5	11.8	0.7	16.7	5.1	65.3

Zip	No	Md	GM	AM	Q1	Q3	Min	Max	SD	CV
43315	16	5.3	5.5	9.1	2.4	6.9	1.4	54.8	13.0	143.1
43316	9	2.8	2.8	3.5	1.4	4.9	0.8	7.6	2.4	68.1
43318	29	5.0	4.7	5.9	3.5	7.0	0.8	18.9	4.2	70.6
43319	4	1.8	1.5	1.7	0.8	2.2	0.8	2.5	0.8	46.3
43320	5	16.3	9.2	16.3	1.9	25.1	1.4	32.4	14.1	86.4
43321	3	9.9	9.6	10.2	6.2	11.1	6.2	14.6	4.2	41.1
43322	2	5.2	4.4	5.2	2.5	5.2	2.5	7.8	3.7	72.8
43324	9	2.0	2.9	7.2	1.2	4.8	0.2	34.1	11.0	153.0
43326	22	4.3	2.7	5.1	1.4	8.3	0.0	13.5	3.9	77.2
43327	1	2.6	2.6	2.6	2.6	2.6	2.6	2.6	0.0	0.0
43328	2	4.2	4.2	4.2	3.9	4.2	3.9	4.5	0.4	10.1
43330	1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	0.0	0.0
43331	7	2.3	2.0	3.0	0.7	3.3	0.5	8.7	2.9	98.3
43332	6	6.4	7.7	11.0	3.6	11.8	2.3	30.3	10.5	95.7
43333	4	7.5	4.0	7.5	0.3	7.5	0.3	14.6	5.8	78.1
43334	13	6.6	7.4	11.7	3.3	11.4	1.1	35.4	11.6	98.6
43335	1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	0.0	0.0
43336	2	3.5	3.4	3.5	3.1	3.5	3.1	3.8	0.5	14.3
43337	3	2.2	1.8	2.1	0.8	2.5	0.8	3.2	1.2	58.3
43338	17	3.3	2.9	5.0	2.2	6.1	0.0	23.2	5.3	104.9
43340	3	1.1	1.6	1.9	1.1	1.7	1.1	3.6	1.4	74.7
43341	3	4.6	4.8	4.9	4.2	4.9	4.2	5.8	0.8	17.1
43342	16	6.8	5.3	8.1	2.5	7.9	0.6	21.3	6.7	82.3
43343	10	17.8	8.9	18.1	1.8	31.5	0.8	38.8	15.9	87.4
43344	16	2.6	4.1	7.9	1.3	10.8	0.8	24.2	8.4	107.0
43345	1	1.2	1.2	1.2	1.2	1.2	1.2	1.2	0.0	0.0
43347	3	2.5	1.7	2.0	0.8	2.5	0.8	2.6	1.0	51.4
43348	4	3.3	2.3	4.1	0.7	5.8	0.7	9.1	4.1	101.2
43349	5	2.1	2.5	4.1	1.0	2.7	0.7	12.9	5.0	122.4
43350	1	10.7	10.7	10.7	10.7	10.7	10.7	10.7	0.0	0.0
43351	19	4.9	5.5	10.1	3.3	11.9	0.0	44.2	11.4	113.2
43356	7	7.4	6.5	9.0	2.8	8.1	2.4	28.8	9.1	101.0
43357	30	8.9	8.1	13.5	3.3	16.3	1.1	42.9	13.2	97.6
43358	4	1.6	1.8	2.0	1.0	1.9	1.0	3.8	1.2	61.2
43359	4	2.6	2.9	4.3	1.1	3.6	1.1	10.8	4.5	104.8
43360	27	3.2	3.5	9.0	1.7	6.1	0.4	90.2	19.4	216.2
43376	1	3.2	3.2	3.2	3.2	3.2	3.2	3.2	0.0	0.0
43402	59	2.4	2.6	4.1	1.4	4.6	0.5	43.1	6.0	144.9
43406	1	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0
43407	1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	0.0	0.0
43410	4	5.6	5.6	6.0	3.1	5.9	3.1	9.8	2.8	46.3
43412	1	2.0	2.0	2.0	2.0	2.0	2.0	2.0	0.0	0.0
43413	1	1.7	1.7	1.7	1.7	1.7	1.7	1.7	0.0	0.0
43416	5	3.2	3.0	5.2	1.1	3.3	1.1	17.2	6.8	129.9
43420	41	4.0	3.9	5.1	2.7	6.3	0.4	26.8	4.3	85.6
43430	7	2.0	2.8	3.8	1.3	5.2	0.9	10.2	3.3	87.2
43431	5	4.2	5.3	6.6	3.2	4.7	2.9	17.0	5.9	88.7
43432	5	1.0	1.2	1.3	0.9	1.1	0.8	2.6	0.7	55.3
43434	1	2.8	2.8	2.8	2.8	2.8	2.8	2.8	0.0	0.0
43435	4	1.5	1.5	1.5	1.3	1.6	1.3	1.8	0.2	14.5
43437	2	2.5	1.0	2.5	0.2	2.5	0.2	4.9	3.3	130.3
43438	1	1.8	1.8	1.8	1.8	1.8	1.8	1.8	0.0	0.0
43440	10	2.3	2.5	5.4	1.3	6.7	0.0	19.5	6.3	117.5
43443	1	2.7	2.7	2.7	2.7	2.7	2.7	2.7	0.0	0.0
43445	2	2.0	0.8	2.0	0.0	2.0	0.0	3.9	2.8	141.4
43447	4	1.6	1.3	1.6	0.5	2.1	0.5	2.6	1.0	60.3
43449	17	1.3	1.7	2.8	0.7	4.0	0.4	10.2	2.8	100.7
43450	5	3.6	5.1	13.3	0.9	21.4	0.5	33.0	15.5	116.6
43451	1	2.0	2.0	2.0	2.0	2.0	2.0	2.0	0.0	0.0
43452	27	2.0	1.7	3.8	1.0	3.2	0.0	26.7	5.8	151.9
43457	1	2.8	2.8	2.8	2.8	2.8	2.8	2.8	0.0	0.0
43460	4	5.5	5.7	8.6	1.6	5.8	1.6	21.7	8.9	104.3
43462	1	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0
43464	1	3.0	3.0	3.0	3.0	3.0	3.0	3.0	0.0	0.0
43465	8	3.2	3.4	4.6	1.8	5.1	1.0	10.7	3.8	82.5
43466	1	1.9	1.9	1.9	1.9	1.9	1.9	1.9	0.0	0.0
43468	1	2.2	2.2	2.2	2.2	2.2	2.2	2.2	0.0	0.0
43469	6	2.5	1.7	3.2	0.5	4.1	0.0	7.3	2.8	87.5
43501	1	1.2	1.2	1.2	1.2	1.2	1.2	1.2	0.0	0.0
43502	15	3.3	3.1	3.9	1.9	4.8	0.8	11.9	2.8	71.5
43504	2	8.6	5.4	8.6	1.9	8.6	1.9	15.2	9.4	110.0
43505	1	1.4	1.4	1.4	1.4	1.4	1.4	1.4	0.0	0.0
43506	12	2.7	2.5	3.7	1.8	3.0	0.6	16.4	4.2	114.7
43512	53	2.6	2.8	3.7	1.7	4.4	0.4	13.1	3.1	83.7
43515	8	2.9	2.0	2.9	0.5	3.8	0.5	6.9	2.2	76.1

Zip	No	Md	GM	AM	Q1	Q3	Min	Max	SD	CV
43516	5	2.7	2.2	2.8	0.9	2.8	0.7	6.1	2.0	72.6
43517	6	4.0	3.9	15.2	0.5	9.5	0.4	67.8	26.3	173.2
43518	1	4.0	4.0	4.0	4.0	4.0	4.0	4.0	0.0	0.0
43521	5	2.7	2.4	4.2	0.8	3.2	0.6	12.9	5.0	120.5
43522	5	3.1	2.7	2.9	1.6	3.3	1.4	4.4	1.1	38.1
43524	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
43526	5	3.8	1.9	3.3	0.7	4.4	0.0	5.3	2.1	63.2
43527	3	3.6	2.9	4.1	0.9	4.7	0.9	7.8	3.5	84.8
43528	18	2.0	2.2	3.5	1.2	4.0	0.0	14.7	3.7	105.4
43532	7	0.6	0.5	0.7	0.1	1.0	0.0	1.6	0.6	82.5
43533	1	7.4	7.4	7.4	7.4	7.4	7.4	7.4	0.0	0.0
43534	3	3.6	3.3	3.6	1.9	4.0	1.9	5.3	1.7	47.2
43535	1	5.8	5.8	5.8	5.8	5.8	5.8	5.8	0.0	0.0
43537	67	4.8	4.3	7.8	2.9	6.9	0.2	125.5	16.1	205.8
43540	4	0.8	0.5	0.8	0.0	1.2	0.0	1.5	0.7	95.2
43542	4	2.5	1.8	2.3	0.5	2.7	0.5	3.7	1.3	58.1
43543	5	2.6	2.1	2.2	1.2	2.8	1.0	3.0	0.9	38.5
43545	16	2.9	2.1	2.8	1.6	3.8	0.1	5.5	1.6	56.1
43548	5	4.3	4.5	4.5	3.5	4.9	3.3	5.8	1.0	20.9
43551	97	3.0	3.2	4.5	2.0	5.5	0.0	26.0	4.4	97.1
43553	2	1.6	1.6	1.6	1.5	1.6	1.5	1.8	0.2	12.9
43554	1	2.5	2.5	2.5	2.5	2.5	2.5	2.5	0.0	0.0
43556	3	0.9	0.9	1.2	0.4	1.2	0.4	2.2	0.9	79.6
43557	2	4.3	3.9	4.3	2.5	4.3	2.5	6.2	2.6	60.1
43558	19	1.0	1.0	1.6	0.5	1.5	0.2	11.8	2.6	155.6
43560	79	1.8	1.9	3.1	1.2	2.8	0.1	43.1	5.7	181.6
43566	29	3.4	2.6	4.3	1.6	5.8	0.0	13.0	3.5	81.6
43567	10	2.0	2.5	4.0	1.8	2.9	0.3	13.1	4.3	109.8
43569	2	0.4	0.3	0.4	0.2	0.4	0.2	0.6	0.3	70.7
43570	5	1.1	1.9	2.5	0.9	3.7	0.9	5.0	2.0	81.2
43571	8	1.0	0.6	0.8	0.2	1.1	0.0	1.6	0.6	70.0
43602	1	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.0	0.0
43604	2	0.5	0.3	0.5	0.0	0.5	0.0	1.0	0.7	141.4
43605	23	2.0	2.0	2.8	0.9	3.4	0.3	10.3	2.4	84.8
43606	70	1.6	1.7	2.6	1.0	2.9	0.0	17.8	3.0	112.4
43607	17	2.9	2.5	3.5	1.8	3.6	0.3	15.8	3.5	99.4
43608	9	3.7	2.5	3.6	1.7	4.8	0.0	6.5	2.1	57.0
43609	21	2.0	2.0	3.8	0.9	3.1	0.3	26.2	6.0	156.0
43611	29	4.9	4.4	6.9	2.3	9.3	0.0	24.4	6.1	88.1
43612	37	1.7	1.7	2.1	1.0	2.9	0.3	8.7	1.6	73.6
43613	55	1.4	1.3	1.9	0.9	2.2	0.0	13.6	2.1	109.9
43614	116	3.2	3.4	6.6	1.9	5.7	0.0	103.9	13.6	206.8
43615	82	1.6	1.4	2.1	0.9	2.8	0.0	7.5	1.7	79.5
43616	26	3.8	3.4	5.0	2.0	6.3	0.0	25.9	5.1	101.3
43617	31	1.7	1.4	1.6	1.1	2.1	0.3	3.1	0.8	47.4
43618	11	8.1	5.3	6.6	3.4	9.1	0.9	10.8	3.5	53.5
43619	20	2.8	1.9	4.2	0.7	3.9	0.0	18.7	4.8	115.0
43620	2	1.0	0.8	1.0	0.4	1.0	0.4	1.6	0.8	84.9
43623	50	1.5	1.5	2.8	0.9	2.3	0.0	50.8	7.1	251.3
43650	1	1.3	1.3	1.3	1.3	1.3	1.3	1.3	0.0	0.0
43652	1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	0.0	0.0
43655	1	27.9	27.9	27.9	27.9	27.9	27.9	27.9	0.0	0.0
43662	1	3.8	3.8	3.8	3.8	3.8	3.8	3.8	0.0	0.0
43694	1	1.3	1.3	1.3	1.3	1.3	1.3	1.3	0.0	0.0
43697	1	2.5	2.5	2.5	2.5	2.5	2.5	2.5	0.0	0.0
43699	7	0.2	0.2	0.3	0.1	0.2	0.0	1.0	0.3	123.5
43701	121	5.0	4.5	6.6	2.6	8.3	0.5	53.3	7.2	108.5
43702	1	19.1	19.1	19.1	19.1	19.1	19.1	19.1	0.0	0.0
43713	10	4.8	4.0	5.8	1.3	9.0	0.9	13.4	4.6	78.3
43716	1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	0.0	0.0
43718	4	1.3	1.2	3.9	0.0	1.5	0.0	13.0	6.1	157.6
43720	1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	0.0	0.0
43723	7	2.2	1.9	2.6	1.0	3.7	0.3	4.8	1.8	67.9
43724	11	3.2	3.2	3.7	2.2	4.6	1.1	8.7	2.0	55.3
43725	55	2.9	3.2	6.7	1.3	6.5	0.4	108.1	14.7	219.4
43727	1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	0.0	0.0
43728	1	1.7	1.7	1.7	1.7	1.7	1.7	1.7	0.0	0.0
43730	2	2.7	1.7	2.7	0.6	2.7	0.6	4.8	3.0	110.0
43731	7	2.3	2.2	2.6	1.5	2.8	0.6	4.9	1.4	55.6
43732	1	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.0	0.0
43734	1	13.9	13.9	13.9	13.9	13.9	13.9	13.9	0.0	0.0
43735	2	8.1	6.0	8.1	2.6	8.1	2.6	13.7	7.8	96.3
43739	6	9.6	8.0	10.1	3.8	13.9	2.4	19.4	6.6	66.0
43745	1	17.0	17.0	17.0	17.0	17.0	17.0	17.0	0.0	0.0
43746	3	5.0	6.1	11.2	1.7	10.5	1.7	27.0	13.8	122.4

Zip	No	Md	GM	AM	Q1	Q3	Min	Max	SD	CV
43747	1	5.6	5.6	5.6	5.6	5.6	5.6	5.6	0.0	0.0
43748	5	1.4	1.8	3.2	0.9	1.6	0.8	11.1	4.4	138.4
43749	1	23.9	23.9	23.9	23.9	23.9	23.9	23.9	0.0	0.0
43750	2	6.5	5.9	6.5	3.8	6.4	3.8	9.1	3.7	58.1
43755	2	1.9	1.2	1.9	0.4	1.9	0.4	3.4	2.1	111.6
43756	11	3.6	2.6	3.6	2.1	4.6	0.0	6.6	2.0	55.8
43758	7	3.2	3.4	4.6	1.4	5.6	1.0	11.6	3.8	82.5
43759	3	2.6	2.5	2.5	2.4	2.6	2.4	2.6	0.1	4.6
43760	1	2.4	2.4	2.4	2.4	2.4	2.4	2.4	0.0	0.0
43762	19	8.6	7.9	16.5	3.6	10.3	0.6	129.0	29.0	175.5
43764	9	2.9	2.8	3.6	1.4	5.3	0.8	7.7	2.5	68.5
43766	3	1.6	1.6	1.6	1.3	1.7	1.3	1.9	0.3	18.7
43767	6	3.2	3.6	4.7	1.6	6.0	1.2	9.8	3.6	77.5
43768	2	2.0	2.0	2.0	1.9	2.0	1.9	2.1	0.1	7.1
43772	2	2.6	1.2	2.6	0.3	2.6	0.3	4.9	3.3	125.1
43773	2	1.4	1.1	1.4	0.6	1.4	0.6	2.1	1.1	78.6
43779	1	1.5	1.5	1.5	1.5	1.5	1.5	1.5	0.0	0.0
43783	6	3.0	3.6	5.6	1.6	4.3	1.0	18.8	6.6	119.3
43787	6	2.8	3.6	6.3	1.3	7.2	0.8	18.3	7.1	111.7
43789	1	3.8	3.8	3.8	3.8	3.8	3.8	3.8	0.0	0.0
43793	8	2.6	2.1	2.5	0.8	3.1	0.7	4.4	1.4	56.8
43802	1	6.9	6.9	6.9	6.9	6.9	6.9	6.9	0.0	0.0
43811	3	1.2	1.7	4.2	0.4	3.6	0.4	11.0	5.9	140.5
43812	28	3.6	4.0	7.6	2.0	10.9	0.0	56.9	11.1	144.8
43820	1	4.0	4.0	4.0	4.0	4.0	4.0	4.0	0.0	0.0
43821	5	7.8	7.3	8.0	4.4	8.4	4.2	14.6	4.1	51.4
43822	9	2.0	3.0	4.2	1.5	3.9	1.4	13.3	4.2	99.2
43824	1	4.4	4.4	4.4	4.4	4.4	4.4	4.4	0.0	0.0
43828	1	8.8	8.8	8.8	8.8	8.8	8.8	8.8	0.0	0.0
43830	20	10.6	7.9	15.7	2.2	18.8	0.4	64.1	17.6	112.2
43832	3	0.6	1.1	4.1	0.2	3.3	0.2	11.5	6.4	156.4
43837	1	9.4	9.4	9.4	9.4	9.4	9.4	9.4	0.0	0.0
43843	1	60.5	60.5	60.5	60.5	60.5	60.5	60.5	0.0	0.0
43844	4	17.1	10.2	15.6	1.4	19.8	1.4	26.8	10.7	68.7
43845	3	8.5	7.7	8.3	4.4	9.4	4.4	12.1	3.9	46.2
43901	1	8.0	8.0	8.0	8.0	8.0	8.0	8.0	0.0	0.0
43902	1	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.0	0.0
43903	2	6.2	5.3	6.2	3.1	6.2	3.1	9.2	4.3	70.1
43905	1	3.8	3.8	3.8	3.8	3.8	3.8	3.8	0.0	0.0
43906	8	6.7	6.1	9.8	1.8	12.5	1.7	33.9	10.7	108.6
43907	11	3.5	5.4	9.3	2.6	7.0	1.5	39.5	12.0	129.4
43908	2	2.0	1.9	2.0	1.9	2.0	1.9	2.0	0.1	3.6
43910	7	2.0	2.0	2.3	1.4	2.0	0.9	5.7	1.6	67.1
43912	3	5.3	6.4	10.3	2.1	9.8	2.1	23.4	11.5	111.9
43913	2	1.5	1.5	1.5	1.5	1.5	1.5	1.6	0.1	4.6
43915	3	8.2	12.7	18.0	6.4	16.0	6.4	39.3	18.5	103.0
43917	1	19.4	19.4	19.4	19.4	19.4	19.4	19.4	0.0	0.0
43920	63	6.2	5.1	9.8	2.0	11.4	0.0	58.1	11.2	114.6
43921	1	3.0	3.0	3.0	3.0	3.0	3.0	3.0	0.0	0.0
43926	1	2.0	2.0	2.0	2.0	2.0	2.0	2.0	0.0	0.0
43930	1	39.0	39.0	39.0	39.0	39.0	39.0	39.0	0.0	0.0
43932	2	23.6	19.6	23.6	10.5	23.6	10.5	36.7	18.5	78.5
43933	1	2.2	2.2	2.2	2.2	2.2	2.2	2.2	0.0	0.0
43935	15	2.2	2.5	3.2	1.5	4.0	0.9	9.4	2.5	78.2
43938	8	5.3	4.5	7.6	1.7	8.3	0.5	21.4	7.3	96.1
43942	5	2.3	2.4	3.4	1.1	2.6	0.7	9.1	3.3	96.3
43943	14	6.8	4.9	8.7	1.8	14.6	0.3	22.8	7.7	88.4
43944	2	6.8	6.3	6.8	4.4	6.8	4.4	9.1	3.3	49.2
43945	11	3.8	4.1	5.9	1.5	6.6	1.4	18.2	5.6	94.3
43946	1	1.7	1.7	1.7	1.7	1.7	1.7	1.7	0.0	0.0
43947	7	2.8	3.2	5.0	1.7	4.3	0.6	16.8	5.5	111.8
43948	1	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.0	0.0
43950	53	3.2	3.3	5.4	1.6	7.0	0.1	33.3	6.2	114.9
43952	49	3.2	3.5	44.1	1.4	6.9	0.0	1927.6	274.7	622.9
43963	3	3.1	3.3	3.6	2.1	3.7	2.1	5.6	1.8	50.1
43964	12	3.6	4.1	4.7	2.5	4.8	2.0	9.8	2.6	56.4
43968	13	3.7	4.1	5.5	2.1	6.9	0.8	14.6	4.2	76.4
43974	1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	0.0	0.0
43976	1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	0.0	0.0
43983	1	10.4	10.4	10.4	10.4	10.4	10.4	10.4	0.0	0.0
43985	1	5.9	5.9	5.9	5.9	5.9	5.9	5.9	0.0	0.0
43986	2	5.3	4.7	5.3	2.9	5.3	2.9	7.7	3.4	64.0
43988	8	17.8	15.9	25.9	4.8	39.9	1.7	60.7	22.0	85.2
44001	32	3.1	3.7	6.6	1.9	8.1	0.0	28.0	7.2	109.4
44003	27	1.0	0.9	1.1	0.6	1.4	0.2	2.7	0.7	63.3

Zip	No	Md	GM	AM	Q1	Q3	Min	Max	SD	CV
44004	103	0.9	1.0	1.6	0.6	1.5	0.0	13.5	2.3	141.4
44005	1	1.5	1.5	1.5	1.5	1.5	1.5	1.5	0.0	0.0
44007	1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	0.0	0.0
44010	10	1.8	1.4	1.9	0.6	2.2	0.4	4.5	1.4	76.5
44011	16	3.4	2.4	4.1	0.9	5.3	0.0	11.7	3.5	87.0
44012	66	5.1	4.0	6.2	2.3	8.9	0.0	24.0	5.1	82.3
44017	20	2.0	1.6	2.4	1.0	2.5	0.0	11.6	2.4	102.9
44018	1	9.3	9.3	9.3	9.3	9.3	9.3	9.3	0.0	0.0
44020	1	2.7	2.7	2.7	2.7	2.7	2.7	2.7	0.0	0.0
44021	6	1.4	1.4	1.5	1.1	1.4	1.1	2.3	0.4	29.8
44022	115	1.6	1.8	9.2	0.9	3.2	0.1	733.8	68.3	743.1
44024	33	1.7	2.1	3.4	1.1	4.3	0.0	19.6	3.9	113.4
44026	59	1.7	1.3	2.1	0.7	2.2	0.0	22.8	3.2	151.8
44027	2	2.0	1.7	2.0	0.9	2.0	0.9	3.1	1.6	77.8
44028	6	2.5	2.5	2.6	2.0	2.9	1.4	3.4	0.7	27.0
44030	50	1.7	1.6	3.2	0.6	3.5	0.1	27.4	4.6	143.5
44032	10	0.9	0.8	1.1	0.3	1.1	0.3	3.9	1.0	92.6
44035	61	1.7	2.1	3.5	1.0	4.3	0.0	21.4	4.4	124.0
44036	3	4.4	3.0	3.5	1.3	4.5	1.3	4.7	1.9	54.3
44038	1	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.0	0.0
44039	19	2.6	2.6	4.1	1.0	5.2	0.5	14.9	4.0	99.4
44040	24	1.4	1.3	1.5	0.9	1.7	0.3	3.2	0.8	54.7
44041	45	0.7	0.8	1.6	0.4	2.0	0.0	11.9	2.2	140.9
44044	13	1.7	1.9	2.2	1.4	2.3	0.7	5.9	1.3	60.7
44045	1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.0	0.0
44046	1	1.4	1.4	1.4	1.4	1.4	1.4	1.4	0.0	0.0
44047	54	0.9	0.8	1.0	0.6	1.3	0.0	3.0	0.6	64.5
44048	8	1.9	1.4	1.7	0.4	2.2	0.4	3.4	1.0	61.0
44049	1	1.3	1.3	1.3	1.3	1.3	1.3	1.3	0.0	0.0
44050	1	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0
44052	35	2.8	2.2	4.5	1.2	5.7	0.0	20.2	5.1	113.0
44053	18	2.3	2.2	3.6	1.1	4.5	0.2	15.3	3.7	102.3
44054	7	2.3	1.8	3.3	0.8	3.5	0.0	10.4	3.4	103.0
44055	16	1.5	1.9	3.2	0.9	5.5	0.2	9.1	3.0	94.7
44056	12	1.4	1.3	1.7	0.6	1.9	0.4	4.1	1.3	76.4
44057	13	1.1	1.0	2.7	0.2	3.0	0.0	12.1	3.6	132.4
44058	1	2.2	2.2	2.2	2.2	2.2	2.2	2.2	0.0	0.0
44060	100	1.4	1.1	1.9	0.5	2.4	0.0	18.0	2.5	131.3
44061	1	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0
44062	10	0.8	0.7	1.2	0.3	1.4	0.2	4.5	1.3	112.8
44064	2	1.9	1.1	1.9	0.4	1.9	0.4	3.3	2.1	110.8
44065	6	2.5	2.4	5.0	0.6	5.4	0.4	16.5	6.2	124.5
44067	27	1.3	1.1	2.1	0.6	2.2	0.0	14.5	2.8	136.9
44068	1	1.5	1.5	1.5	1.5	1.5	1.5	1.5	0.0	0.0
44070	101	2.3	2.1	3.8	1.2	4.3	0.0	35.9	5.4	143.7
44072	22	1.6	1.6	3.0	0.6	3.0	0.2	20.2	4.3	142.2
44074	12	3.0	2.6	3.7	1.9	4.9	0.0	8.5	2.5	67.0
44076	28	1.1	1.0	1.5	0.5	1.4	0.3	9.3	1.7	117.4
44077	87	1.7	1.8	3.8	0.9	3.5	0.0	31.2	5.8	154.6
44080	1	1.6	1.6	1.6	1.6	1.6	1.6	1.6	0.0	0.0
44081	12	3.3	4.4	7.3	1.9	11.1	1.1	22.6	7.6	104.2
44082	15	1.0	1.2	1.9	0.5	2.0	0.3	8.4	2.2	115.3
44084	15	1.1	1.1	1.3	0.8	1.4	0.3	3.0	0.7	57.4
44085	23	1.2	1.2	1.6	0.7	1.8	0.3	6.7	1.4	85.9
44086	4	3.0	3.4	8.6	0.9	5.1	0.9	27.5	12.7	147.6
44087	11	1.1	1.1	1.6	0.6	1.8	0.0	5.1	1.4	92.2
44088	1	28.3	28.3	28.3	28.3	28.3	28.3	28.3	0.0	0.0
44089	37	5.9	4.3	6.8	2.4	10.1	0.0	28.0	5.7	83.2
44090	9	2.5	1.5	2.0	0.9	2.9	0.0	3.5	1.2	59.1
44092	25	1.2	1.0	1.3	0.5	1.6	0.0	3.3	1.1	77.9
44093	10	1.1	1.5	2.2	0.8	2.7	0.3	8.5	2.4	108.5
44094	102	1.2	1.2	2.4	0.7	2.3	0.0	20.6	3.6	151.3
44095	2	0.6	0.6	0.6	0.5	0.6	0.5	0.8	0.2	32.6
44099	14	0.8	0.8	1.0	0.4	1.0	0.3	3.0	0.9	87.0
44100	1	5.4	5.4	5.4	5.4	5.4	5.4	5.4	0.0	0.0
44101	2	2.7	2.2	2.7	1.2	2.7	1.2	4.1	2.1	77.4
44102	27	2.5	2.6	3.1	1.5	3.7	0.9	13.3	2.4	78.5
44103	5	2.2	2.2	2.6	1.2	2.2	1.0	6.1	2.0	75.6
44104	1	10.0	10.0	10.0	10.0	10.0	10.0	10.0	0.0	0.0
44105	15	1.4	1.3	2.6	0.4	3.1	0.0	13.7	3.5	134.0
44106	19	1.2	1.0	1.7	0.6	2.1	0.1	6.7	1.7	97.5
44107	70	0.9	0.8	1.3	0.4	1.4	0.0	7.4	1.4	106.4
44108	9	1.4	1.1	1.3	0.7	1.5	0.4	2.1	0.6	45.8
44109	34	1.2	1.0	1.6	0.6	1.5	0.1	8.0	1.7	107.2
44110	10	1.1	1.0	1.1	0.5	1.3	0.4	2.7	0.7	58.9

Zip	No	Md	GM	AM	Q1	Q3	Min	Max	SD	CV
44111	50	1.0	0.9	1.7	0.4	2.0	0.0	7.8	1.8	108.5
44112	8	0.5	0.6	1.2	0.2	0.8	0.0	6.2	2.1	165.7
44113	18	1.9	1.2	2.1	0.6	2.5	0.0	10.3	2.3	108.6
44114	12	0.6	0.4	0.6	0.1	0.8	0.0	1.4	0.4	76.6
44115	3	1.8	3.5	5.9	1.6	4.9	1.6	14.3	7.3	123.3
44116	62	1.3	1.1	1.6	0.6	2.2	0.0	9.3	1.5	95.1
44117	17	1.1	1.3	1.8	0.7	2.0	0.4	6.3	1.8	98.9
44118	134	0.9	0.9	2.1	0.5	1.6	0.0	24.3	4.2	193.5
44119	16	1.2	1.3	2.3	0.7	1.6	0.4	17.1	4.0	174.1
44120	42	0.7	0.6	1.2	0.3	1.3	0.0	9.0	1.8	146.0
44121	72	1.1	1.0	1.7	0.6	1.7	0.0	18.1	2.5	146.3
44122	111	1.1	0.9	1.3	0.7	1.5	0.0	8.9	1.2	93.1
44123	21	0.5	0.6	0.8	0.3	1.1	0.0	3.2	0.8	90.3
44124	84	1.2	1.1	1.4	0.7	1.6	0.1	8.7	1.1	78.9
44125	27	0.9	0.9	1.4	0.5	2.2	0.0	4.9	1.2	87.8
44126	30	1.4	1.6	4.1	1.0	2.2	0.4	74.5	13.3	324.6
44127	3	2.5	2.5	2.5	2.4	2.5	2.4	2.6	0.1	4.0
44128	11	0.5	0.5	0.7	0.4	0.6	0.0	2.2	0.6	89.0
44129	47	0.9	0.9	1.2	0.5	1.4	0.0	3.9	0.9	78.0
44130	98	1.2	1.2	2.0	0.6	2.4	0.0	11.5	2.2	111.7
44131	42	2.1	2.0	3.7	1.1	3.3	0.0	48.2	7.4	198.7
44132	14	0.9	0.9	1.9	0.4	1.3	0.2	14.8	3.8	197.5
44133	42	1.8	1.7	2.7	0.9	3.5	0.1	11.8	2.5	91.9
44134	58	1.1	1.1	1.8	0.8	1.9	0.0	23.1	3.0	169.5
44135	23	0.8	0.8	1.3	0.5	1.8	0.0	3.8	1.2	88.8
44136	115	2.1	1.8	2.3	1.2	3.0	0.0	8.8	1.5	66.8
44137	25	1.0	0.9	1.2	0.5	1.5	0.2	4.3	0.9	74.7
44138	28	2.5	2.4	3.0	1.4	3.8	0.6	10.6	2.2	72.7
44139	49	1.7	1.6	2.2	1.0	2.3	0.0	7.5	1.7	80.6
44140	84	3.0	2.6	4.0	1.5	5.6	0.0	24.1	3.7	94.0
44141	42	1.9	2.1	2.9	1.4	2.7	0.3	14.5	3.0	103.5
44142	29	1.0	0.8	1.2	0.5	1.4	0.0	5.4	1.1	92.8
44143	58	1.7	1.6	2.2	0.9	2.8	0.0	7.1	1.6	74.6
44144	17	1.2	0.9	1.4	0.3	1.9	0.2	4.3	1.1	82.1
44145	136	2.5	2.4	3.4	1.5	4.1	0.0	15.0	2.9	86.4
44146	40	1.2	1.1	1.9	0.5	1.8	0.0	10.5	2.3	124.2
44147	26	1.3	1.4	2.2	0.8	2.1	0.4	19.6	3.7	164.6
44150	1	3.7	3.7	3.7	3.7	3.7	3.7	3.7	0.0	0.0
44151	1	1.4	1.4	1.4	1.4	1.4	1.4	1.4	0.0	0.0
44167	1	1.4	1.4	1.4	1.4	1.4	1.4	1.4	0.0	0.0
44190	1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	0.0	0.0
44201	6	1.2	1.0	1.6	0.3	2.5	0.2	3.6	1.5	91.4
44202	37	1.2	1.2	2.0	0.5	2.7	0.0	10.6	2.2	108.2
44203	55	3.4	2.4	4.1	1.2	5.4	0.0	15.8	3.7	90.2
44205	1	1.4	1.4	1.4	1.4	1.4	1.4	1.4	0.0	0.0
44209	1	1.9	1.9	1.9	1.9	1.9	1.9	1.9	0.0	0.0
44210	5	3.3	2.7	3.3	1.4	3.8	0.7	5.0	1.6	48.8
44211	1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	0.0	0.0
44212	31	1.9	1.9	2.3	1.3	2.6	0.8	11.8	2.0	85.1
44214	2	3.3	3.2	3.3	2.7	3.3	2.7	3.8	0.8	23.9
44215	1	4.5	4.5	4.5	4.5	4.5	4.5	4.5	0.0	0.0
44216	17	3.5	3.5	4.2	1.8	6.0	1.3	9.4	2.6	61.6
44217	1	19.2	19.2	19.2	19.2	19.2	19.2	19.2	0.0	0.0
44221	41	1.9	1.7	2.3	0.9	3.5	0.0	6.9	1.9	79.2
44223	26	1.6	1.7	2.1	1.2	2.4	0.5	5.6	1.3	62.8
44224	61	1.9	2.1	2.9	1.2	3.9	0.0	14.6	2.7	92.2
44230	10	7.1	5.7	8.5	2.0	10.9	1.0	24.1	7.3	85.9
44231	10	1.5	1.6	3.1	0.6	2.0	0.4	14.1	4.3	139.3
44233	15	1.8	2.0	2.4	1.3	3.8	0.8	4.2	1.3	55.1
44234	5	1.5	1.4	1.6	0.7	1.6	0.5	2.8	0.8	52.6
44235	2	2.6	1.9	2.6	0.8	2.6	0.8	4.4	2.5	97.9
44236	80	2.2	2.4	10.4	1.2	3.5	0.0	319.0	39.6	382.0
44240	56	2.8	2.7	4.0	1.3	4.8	0.2	15.9	3.6	90.9
44241	6	7.1	5.1	6.3	2.0	8.4	1.5	9.8	3.5	56.6
44247	1	4.3	4.3	4.3	4.3	4.3	4.3	4.3	0.0	0.0
44249	1	20.6	20.6	20.6	20.6	20.6	20.6	20.6	0.0	0.0
44250	1	2.0	2.0	2.0	2.0	2.0	2.0	2.0	0.0	0.0
44251	4	3.0	3.3	3.9	2.0	3.9	2.0	7.6	2.6	68.1
44253	3	3.2	3.7	3.9	2.6	3.9	2.6	6.0	1.8	46.1
44254	2	10.8	7.9	10.8	3.5	10.8	3.5	18.0	10.3	95.4
44255	11	1.7	2.6	4.8	0.8	7.4	0.5	16.8	5.2	107.5
44256	72	2.6	3.0	4.5	1.7	5.6	0.6	36.1	5.4	121.2
44258	2	11.4	11.1	11.4	9.1	11.4	9.1	13.6	3.2	28.0
44260	18	3.3	2.4	5.0	1.2	4.9	0.0	35.4	7.9	157.6
44262	13	3.4	3.3	4.0	1.5	5.9	1.1	8.4	2.4	60.1

Zip	No	Md	GM	AM	Q1	Q3	Min	Max	SD	CV
44264	1	1.7	1.7	1.7	1.7	1.7	1.7	1.7	0.0	0.0
44265	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
44266	31	1.3	1.3	2.0	0.6	2.3	0.2	9.1	2.2	106.1
44270	3	0.6	0.6	0.9	0.2	0.9	0.2	1.9	0.9	98.8
44272	11	1.3	1.6	2.8	0.8	4.4	0.1	8.1	2.7	95.5
44273	4	22.4	9.6	22.3	2.0	42.3	2.0	42.3	23.2	104.1
44274	1	2.6	2.6	2.6	2.6	2.6	2.6	2.6	0.0	0.0
44275	1	10.2	10.2	10.2	10.2	10.2	10.2	10.2	0.0	0.0
44276	1	2.6	2.6	2.6	2.6	2.6	2.6	2.6	0.0	0.0
44278	33	2.0	1.6	2.2	0.8	2.8	0.1	6.6	1.6	72.7
44280	4	4.7	6.4	11.9	2.2	5.9	2.2	36.1	16.2	135.8
44281	20	2.0	1.9	2.5	1.1	3.0	0.5	7.7	1.9	75.9
44286	20	2.4	2.3	2.6	1.4	3.2	1.2	5.7	1.2	45.0
44287	5	2.6	2.4	2.7	1.4	3.3	1.0	3.6	1.1	40.1
44288	5	2.1	1.5	1.7	0.7	2.3	0.7	2.7	0.9	53.0
44296	1	2.8	2.8	2.8	2.8	2.8	2.8	2.8	0.0	0.0
44301	19	1.6	1.9	2.4	1.2	3.3	0.5	5.9	1.6	65.8
44302	3	1.3	1.2	1.2	1.0	1.3	1.0	1.4	0.2	16.9
44303	16	2.5	2.2	2.6	1.2	3.2	0.9	6.1	1.6	60.7
44304	1	1.4	1.4	1.4	1.4	1.4	1.4	1.4	0.0	0.0
44305	21	2.5	2.7	4.0	1.3	4.3	0.6	12.4	3.6	91.6
44306	13	3.1	3.1	4.6	1.3	6.5	0.5	11.7	3.7	80.8
44307	1	4.4	4.4	4.4	4.4	4.4	4.4	4.4	0.0	0.0
44308	1	3.5	3.5	3.5	3.5	3.5	3.5	3.5	0.0	0.0
44310	26	3.5	3.5	5.1	2.5	6.0	0.0	20.8	4.6	89.4
44311	2	2.5	1.4	2.5	0.4	2.5	0.4	4.7	3.0	119.2
44312	43	4.0	3.4	4.5	2.2	5.8	0.7	13.7	3.4	74.0
44313	129	2.3	2.5	4.0	1.6	4.5	0.0	30.7	4.7	116.5
44314	11	2.1	1.6	2.2	1.0	3.5	0.0	4.6	1.5	65.5
44316	1	3.2	3.2	3.2	3.2	3.2	3.2	3.2	0.0	0.0
44319	65	3.1	3.4	6.1	1.7	9.2	0.0	77.3	10.0	164.9
44320	30	2.3	1.9	3.3	0.9	5.3	0.0	11.8	3.1	93.4
44321	32	2.5	3.3	7.1	1.2	12.2	0.0	26.7	8.1	113.9
44322	1	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0
44323	1	12.6	12.6	12.6	12.6	12.6	12.6	12.6	0.0	0.0
44324	1	1.5	1.5	1.5	1.5	1.5	1.5	1.5	0.0	0.0
44341	1	2.3	2.3	2.3	2.3	2.3	2.3	2.3	0.0	0.0
44349	1	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.0	0.0
44401	11	1.7	2.0	2.3	1.3	3.0	0.9	4.9	1.3	54.0
44402	10	2.5	3.1	4.0	1.8	3.3	1.4	11.0	3.6	88.4
44403	16	1.6	1.8	2.5	0.9	2.8	0.5	11.0	2.5	100.8
44404	7	2.1	1.7	2.6	0.7	2.5	0.3	8.5	2.8	104.9
44405	10	1.5	1.5	3.0	0.5	2.5	0.3	16.9	5.0	163.6
44406	65	2.0	1.9	2.4	1.2	3.2	0.4	14.1	2.1	84.5
44408	32	2.8	3.3	11.3	1.6	3.8	0.5	234.2	40.9	361.3
44410	43	2.0	1.8	2.5	1.3	2.8	0.0	9.6	2.1	81.6
44411	3	1.2	1.7	3.0	0.6	2.7	0.6	7.1	3.6	121.1
44412	8	1.3	1.4	1.7	0.8	1.8	0.7	5.0	1.4	82.1
44413	14	1.6	1.5	1.8	0.9	2.0	0.6	3.9	0.9	52.9
44416	2	1.8	1.7	1.8	1.6	1.8	1.6	1.9	0.2	12.1
44417	11	1.3	1.2	1.5	0.7	2.0	0.3	3.1	1.0	68.1
44418	4	2.2	1.5	2.0	0.4	3.3	0.4	3.3	1.5	74.1
44420	25	1.4	1.2	1.8	0.8	2.2	0.0	6.8	1.6	85.3
44422	2	1.0	0.8	1.0	0.4	1.0	0.4	1.7	0.9	87.5
44423	10	4.2	3.5	6.8	2.5	5.8	0.0	32.7	9.3	136.2
44424	1	1.2	1.2	1.2	1.2	1.2	1.2	1.2	0.0	0.0
44425	46	1.5	1.6	2.2	1.1	2.3	0.3	11.0	2.1	98.4
44427	4	9.9	10.6	21.6	2.2	13.0	2.2	64.6	29.0	133.8
44428	16	1.2	1.6	2.4	1.1	2.4	0.3	10.7	2.8	113.0
44429	4	1.5	1.3	2.0	0.3	1.5	0.3	4.9	2.0	98.4
44430	4	0.6	0.4	0.6	0.1	0.7	0.1	1.3	0.5	82.0
44431	20	3.3	3.0	3.9	1.6	3.9	1.1	15.3	3.3	85.5
44432	38	3.0	2.6	5.7	1.8	4.7	0.0	92.2	14.6	255.7
44436	10	3.0	2.8	4.1	1.6	4.3	0.5	15.8	4.4	106.1
44437	4	1.8	0.9	1.4	0.0	2.0	0.0	2.1	1.0	68.4
44438	16	1.9	1.8	2.3	1.5	2.9	0.1	5.5	1.5	62.3
44439	2	1.1	1.1	1.1	0.9	1.1	0.9	1.3	0.3	25.7
44440	8	1.5	1.3	1.8	0.6	2.5	0.4	4.5	1.4	78.8
44441	12	11.4	10.8	13.3	8.8	13.0	2.4	31.6	8.9	66.7
44442	8	2.0	2.5	3.1	1.3	4.0	1.0	8.2	2.4	76.3
44443	13	5.1	11.2	41.8	2.7	68.8	1.7	07.0	64.1	153.4
44444	23	1.8	1.4	2.0	0.8	2.6	0.0	5.9	1.6	77.7
44445	7	3.0	2.4	3.0	1.3	4.0	0.5	5.3	1.7	55.7
44446	27	1.5	1.2	2.1	0.7	2.1	0.0	12.8	2.7	125.5
44449	5	1.7	0.9	1.4	0.3	1.7	0.3	2.9	1.1	79.8

Zip	No	Md	GM	AM	Q1	Q3	Min	Max	SD	CV
44450	4	1.3	1.1	1.5	0.4	2.1	0.4	3.1	1.3	85.7
44451	18	1.7	1.4	1.8	0.8	2.2	0.4	5.4	1.3	71.8
44452	16	2.9	2.4	3.0	1.5	4.0	0.3	7.3	1.8	59.4
44453	1	2.3	2.3	2.3	2.3	2.3	2.3	2.3	0.0	0.0
44454	7	4.8	4.5	7.4	1.6	6.9	1.1	26.8	8.9	120.1
44455	2	2.7	1.7	2.7	0.6	2.7	0.6	4.7	2.9	109.4
44460	63	2.2	2.3	3.5	1.2	3.2	0.4	28.9	4.5	128.2
44465	1	8.2	8.2	8.2	8.2	8.2	8.2	8.2	0.0	0.0
44466	1	1.9	1.9	1.9	1.9	1.9	1.9	1.9	0.0	0.0
44470	7	1.6	1.3	1.4	1.0	1.6	0.4	1.8	0.5	34.9
44471	13	1.7	1.3	1.7	0.8	2.0	0.3	4.7	1.1	68.1
44473	8	1.8	1.7	2.3	1.3	2.5	0.3	6.4	1.8	79.8
44481	22	0.9	1.0	1.9	0.4	1.4	0.0	11.1	2.8	147.2
44483	33	1.0	1.2	1.4	0.7	1.8	0.2	4.7	1.0	69.0
44484	51	2.0	1.8	3.5	0.9	2.7	0.1	71.7	9.8	281.4
44485	10	1.5	1.0	1.5	0.2	2.1	0.2	3.2	1.1	75.4
44491	5	1.8	1.7	1.8	1.1	2.3	1.0	2.5	0.7	36.2
44493	2	2.9	2.8	2.9	2.3	2.9	2.3	3.5	0.8	29.3
44501	8	1.8	1.8	2.3	0.8	2.1	0.6	4.9	1.7	73.0
44502	6	1.5	0.9	2.5	0.0	1.8	0.0	9.9	3.7	149.7
44503	6	3.4	3.4	3.4	3.2	3.5	3.0	3.9	0.3	8.6
44504	7	1.3	1.2	1.3	0.9	1.6	0.6	2.0	0.5	36.9
44505	34	2.0	1.8	2.4	0.9	3.1	0.0	7.4	1.8	75.8
44506	1	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.0	0.0
44507	5	0.8	1.0	1.2	0.6	1.2	0.5	2.4	0.8	64.7
44508	2	1.8	1.8	1.8	1.8	1.8	1.8	1.8	0.0	0.0
44509	12	1.8	1.5	2.0	0.8	2.6	0.3	5.1	1.4	69.7
44510	1	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.0	0.0
44511	41	1.4	1.4	1.9	0.9	2.4	0.0	6.9	1.6	84.4
44512	110	2.0	1.9	2.3	1.2	2.9	0.4	7.7	1.4	61.2
44513	1	1.4	1.4	1.4	1.4	1.4	1.4	1.4	0.0	0.0
44514	68	1.5	1.5	2.1	0.9	2.7	0.0	8.9	1.8	84.9
44515	50	1.5	1.6	2.0	1.0	2.4	0.5	7.5	1.5	74.4
44516	1	2.6	2.6	2.6	2.6	2.6	2.6	2.6	0.0	0.0
44519	1	2.0	2.0	2.0	2.0	2.0	2.0	2.0	0.0	0.0
44572	2	4.4	2.0	4.4	0.5	4.4	0.5	8.3	5.5	125.4
44575	2	3.8	3.7	3.8	3.4	3.8	3.4	4.1	0.5	13.2
44601	68	1.4	1.3	2.0	0.7	2.0	0.0	16.3	2.3	117.2
44606	3	0.8	1.3	1.7	0.7	1.5	0.7	3.7	1.7	98.3
44607	1	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.0	0.0
44608	1	1.8	1.8	1.8	1.8	1.8	1.8	1.8	0.0	0.0
44609	11	1.1	1.1	1.4	0.6	1.7	0.3	3.7	1.0	74.1
44611	1	4.4	4.4	4.4	4.4	4.4	4.4	4.4	0.0	0.0
44612	12	5.6	5.1	7.9	2.3	10.7	1.0	28.3	7.7	97.1
44614	34	3.8	3.9	4.7	2.8	6.2	0.7	16.1	2.9	62.1
44615	50	4.3	5.7	28.2	1.9	19.0	0.0	189.0	51.4	182.5
44617	1	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.0	0.0
44618	1	1.4	1.4	1.4	1.4	1.4	1.4	1.4	0.0	0.0
44620	2	3.9	3.9	3.9	3.5	3.9	3.5	4.3	0.6	14.5
44621	3	3.4	3.1	3.2	2.1	3.6	2.1	4.2	1.1	32.8
44622	16	5.4	4.6	6.0	2.7	7.5	0.5	18.1	4.2	70.0
44624	1	3.5	3.5	3.5	3.5	3.5	3.5	3.5	0.0	0.0
44625	7	1.8	2.2	6.0	1.0	2.0	0.7	32.6	11.8	197.4
44626	4	8.1	6.6	8.8	1.9	11.0	1.9	17.0	6.6	75.8
44628	3	2.0	1.9	2.1	1.1	2.3	1.1	3.2	1.1	50.2
44632	35	1.5	1.6	2.3	0.9	3.1	0.1	11.5	2.4	101.3
44633	1	6.0	6.0	6.0	6.0	6.0	6.0	6.0	0.0	0.0
44634	7	1.7	2.2	3.5	1.0	3.5	0.7	10.2	3.7	106.9
44635	1	68.7	68.7	68.7	68.7	68.7	68.7	68.7	0.0	0.0
44637	4	4.5	3.9	15.0	0.6	8.1	0.6	50.5	23.9	159.1
44638	3	4.1	5.3	6.3	3.1	6.0	3.1	11.8	4.8	75.2
44639	2	7.9	7.9	7.9	7.9	7.9	7.9	8.0	0.1	0.9
44640	2	1.6	1.6	1.6	1.2	1.6	1.2	2.1	0.6	38.6
44641	24	2.8	2.3	2.9	1.5	3.8	0.2	9.2	1.9	64.4
44643	30	6.0	6.7	12.4	3.8	11.1	1.1	95.7	20.9	168.5
44644	5	24.0	25.5	29.0	13.8	31.4	11.1	54.5	16.4	56.4
44645	4	3.7	4.5	8.3	1.5	5.3	1.5	24.2	10.7	129.9
44646	69	2.8	2.7	4.7	1.5	4.8	0.0	29.3	5.8	124.0
44648	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
44651	1	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.0	0.0
44654	6	8.6	5.4	7.3	2.0	9.4	0.9	12.6	4.4	60.8
44656	3	3.8	3.8	4.1	2.3	4.4	2.3	6.1	1.9	47.1
44657	12	5.3	5.9	7.6	3.5	7.1	1.8	21.9	6.1	80.1
44662	32	9.4	7.3	12.3	2.2	18.9	1.4	37.0	10.9	88.9
44663	21	7.4	5.8	9.1	2.2	10.9	0.6	30.5	8.4	91.5

Zip	No	Md	GM	AM	Q1	Q3	Min	Max	SD	CV
44666	3	5.8	4.0	4.6	1.9	5.8	1.9	6.0	2.3	50.6
44667	9	5.7	5.7	7.2	4.2	6.1	1.6	22.8	6.1	85.0
44669	1	2.4	2.4	2.4	2.4	2.4	2.4	2.4	0.0	0.0
44672	5	0.9	1.0	1.1	0.6	1.3	0.5	1.8	0.5	47.8
44676	2	2.6	2.4	2.6	1.6	2.6	1.6	3.6	1.4	54.4
44677	9	14.1	15.2	46.1	3.5	42.6	2.2	259.0	81.9	177.5
44680	2	18.4	17.3	18.4	12.2	18.4	12.2	24.5	8.7	47.4
44681	1	15.9	15.9	15.9	15.9	15.9	15.9	15.9	0.0	0.0
44682	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
44683	5	3.5	2.6	8.4	0.4	4.6	0.2	32.2	13.4	160.5
44685	53	4.6	5.1	9.1	2.1	10.2	0.6	61.1	12.3	135.1
44686	1	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.0	0.0
44688	12	3.3	3.5	4.3	2.2	4.1	1.3	11.8	3.1	73.8
44691	50	3.8	4.5	9.3	1.7	10.3	0.6	48.7	12.6	134.5
44695	1	33.0	33.0	33.0	33.0	33.0	33.0	33.0	0.0	0.0
44699	3	4.9	3.2	5.2	0.7	6.2	0.7	9.9	4.6	89.1
44701	1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	0.0	0.0
44702	2	3.0	2.7	3.0	1.7	3.0	1.7	4.4	1.9	62.6
44703	9	3.1	3.0	3.4	1.9	3.8	1.5	7.5	1.8	53.9
44704	2	4.5	3.7	4.5	2.0	4.5	2.0	7.0	3.5	78.6
44705	30	3.8	3.1	5.1	2.4	5.1	0.0	25.1	5.4	105.7
44706	22	4.0	3.4	5.3	1.6	5.9	0.0	23.3	5.4	101.7
44707	10	8.8	8.7	13.1	5.9	17.2	0.6	33.8	10.7	81.6
44708	54	4.0	3.6	5.3	1.9	7.4	0.0	25.0	4.5	85.5
44709	57	5.1	4.3	6.0	1.9	8.8	0.5	27.1	5.0	82.1
44710	11	6.7	4.4	6.2	2.1	9.1	0.8	13.4	4.3	70.3
44711	1	6.4	6.4	6.4	6.4	6.4	6.4	6.4	0.0	0.0
44714	30	3.4	3.1	4.4	2.0	5.5	0.0	12.4	3.2	74.3
44718	35	5.6	5.8	7.7	3.3	8.8	1.1	21.0	5.9	76.9
44720	119	3.8	3.7	5.7	2.2	7.4	0.0	35.3	5.6	96.9
44721	38	3.7	3.4	4.4	2.3	5.7	0.6	16.4	3.3	75.2
44728	1	5.5	5.5	5.5	5.5	5.5	5.5	5.5	0.0	0.0
44730	5	3.1	4.4	7.1	2.0	4.4	1.6	23.0	8.9	125.7
44742	1	6.4	6.4	6.4	6.4	6.4	6.4	6.4	0.0	0.0
44751	1	9.1	9.1	9.1	9.1	9.1	9.1	9.1	0.0	0.0
44802	3	8.2	9.6	10.6	6.1	10.6	6.1	17.6	6.1	57.6
44804	2	2.3	2.0	2.3	1.2	2.3	1.2	3.4	1.6	67.6
44805	59	4.1	4.1	7.0	2.3	6.9	0.6	67.3	10.5	149.6
44806	1	2.4	2.4	2.4	2.4	2.4	2.4	2.4	0.0	0.0
44807	1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.0	0.0
44811	53	7.1	7.0	14.3	3.6	17.9	0.0	99.3	18.3	127.7
44813	22	8.3	10.7	31.0	5.0	13.7	1.5	274.0	63.4	204.7
44814	10	4.7	4.0	7.0	1.9	9.4	0.3	21.7	6.7	96.9
44815	3	4.4	5.9	7.4	3.3	6.9	3.3	14.5	6.2	83.4
44816	5	3.2	3.8	4.5	2.5	3.3	2.5	11.0	3.6	79.9
44817	1	2.4	2.4	2.4	2.4	2.4	2.4	2.4	0.0	0.0
44818	4	1.0	0.7	1.0	0.0	1.2	0.0	2.1	0.9	85.2
44820	25	4.3	4.5	13.7	1.5	9.9	0.0	163.0	32.1	233.9
44822	4	5.7	5.0	6.7	1.5	7.2	1.5	13.7	5.2	78.9
44824	18	8.3	7.2	12.3	3.2	12.3	0.7	80.3	17.8	145.1
44826	3	5.5	6.0	7.0	3.2	7.2	3.2	12.2	4.7	67.1
44827	10	6.1	4.7	6.6	2.0	8.7	0.7	14.6	4.8	72.0
44828	1	2.5	2.5	2.5	2.5	2.5	2.5	2.5	0.0	0.0
44830	34	3.3	2.3	4.7	1.3	6.1	0.0	25.5	5.3	110.9
44833	44	6.9	6.4	11.4	3.4	12.0	0.3	77.1	14.3	126.0
44834	1	4.0	4.0	4.0	4.0	4.0	4.0	4.0	0.0	0.0
44835	1	13.3	13.3	13.3	13.3	13.3	13.3	13.3	0.0	0.0
44836	2	3.2	2.3	3.2	1.0	3.2	1.0	5.4	3.1	97.2
44837	2	7.7	5.3	7.7	2.1	7.7	2.1	13.2	7.8	102.6
44838	1	2.5	2.5	2.5	2.5	2.5	2.5	2.5	0.0	0.0
44839	37	4.2	4.1	6.4	2.1	9.4	0.0	24.7	5.7	89.3
44840	1	42.7	42.7	42.7	42.7	42.7	42.7	42.7	0.0	0.0
44842	2	2.7	2.5	2.7	1.7	2.7	1.7	3.7	1.4	52.4
44843	8	10.1	9.3	48.1	1.3	23.6	0.0	179.0	73.8	153.5
44844	1	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.0	0.0
44846	18	6.9	5.3	10.5	2.5	9.4	0.0	81.6	18.1	173.0
44847	55	7.1	7.7	13.2	3.7	16.2	0.8	74.4	16.0	120.9
44848	2	8.9	8.6	8.9	6.8	8.9	6.8	10.9	2.9	32.8
44849	2	11.7	8.0	11.7	3.2	11.7	3.2	20.2	12.0	102.7
44851	9	7.4	5.6	6.6	2.9	8.9	2.5	12.3	3.7	56.6
44853	5	1.7	2.4	4.0	0.8	4.3	0.6	10.9	4.2	106.7
44854	2	1.3	0.7	1.3	0.2	1.3	0.2	2.3	1.5	118.8
44855	2	5.9	5.5	5.9	3.7	5.9	3.7	8.2	3.2	53.5
44857	69	3.7	3.4	6.2	2.0	6.3	0.0	48.0	7.9	127.5
44859	2	5.3	4.3	5.3	2.3	5.3	2.3	8.2	4.2	79.5

Zip	No	Md	GM	AM	Q1	Q3	Min	Max	SD	CV
44860	1	7.3	7.3	7.3	7.3	7.3	7.3	7.3	0.0	0.0
44861	1	2.2	2.2	2.2	2.2	2.2	2.2	2.2	0.0	0.0
44864	13	6.0	6.6	13.3	2.8	9.1	1.9	79.6	21.5	161.9
44865	1	5.0	5.0	5.0	5.0	5.0	5.0	5.0	0.0	0.0
44866	2	1.8	1.8	1.8	1.5	1.8	1.5	2.1	0.4	23.6
44867	3	6.0	5.9	5.9	4.8	6.3	4.8	7.0	1.1	18.6
44870	104	2.7	2.4	4.4	1.0	4.9	0.0	37.4	5.8	132.4
44875	28	4.0	3.4	4.7	2.5	5.0	0.0	21.7	4.1	86.2
44878	4	7.4	6.3	8.3	1.9	9.8	1.9	16.6	6.4	76.9
44879	1	1.9	1.9	1.9	1.9	1.9	1.9	1.9	0.0	0.0
44880	3	3.2	2.2	2.7	0.9	3.4	0.9	3.9	1.6	58.9
44882	5	3.8	4.5	5.1	2.5	6.7	2.3	8.7	2.9	56.1
44883	100	6.8	4.7	7.8	2.8	9.8	0.0	59.8	8.0	102.9
44887	2	2.3	2.3	2.3	1.8	2.3	1.8	2.9	0.8	33.1
44889	5	4.4	5.8	7.0	3.2	8.8	3.1	13.7	4.7	68.2
44890	14	2.2	2.2	2.6	1.4	3.4	0.9	5.6	1.4	55.7
44901	24	1.4	1.3	3.4	0.6	2.1	0.0	41.4	8.2	245.8
44902	3	1.5	1.8	1.9	1.5	1.8	1.5	2.7	0.7	36.5
44903	81	4.1	4.5	9.0	2.5	8.2	0.0	150.4	18.1	200.6
44904	232	5.7	5.8	9.8	3.1	11.7	0.0	89.4	11.4	115.5
44905	21	5.7	3.4	5.7	1.4	8.4	0.0	16.6	4.6	81.1
44906	118	4.4	4.0	6.1	2.2	7.8	0.0	44.0	6.0	99.4
44907	90	3.4	3.5	6.3	2.0	6.8	0.0	64.9	10.0	157.7
44908	1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	0.0	0.0
44911	1	8.6	8.6	8.6	8.6	8.6	8.6	8.6	0.0	0.0
44927	1	1.4	1.4	1.4	1.4	1.4	1.4	1.4	0.0	0.0
44939	1	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0
44941	1	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.0	0.0
44945	1	9.0	9.0	9.0	9.0	9.0	9.0	9.0	0.0	0.0
44989	1	2.8	2.8	2.8	2.8	2.8	2.8	2.8	0.0	0.0
45000	13	4.7	3.6	5.5	1.5	9.4	0.5	12.1	4.0	73.7
45001	4	3.1	3.0	3.0	2.3	3.5	2.3	3.6	0.6	20.8
45002	22	1.5	2.1	4.4	1.0	5.4	0.0	28.0	6.3	144.0
45003	6	9.3	7.3	8.3	3.5	10.4	3.1	14.0	4.2	50.5
45005	315	4.1	3.9	7.2	2.0	8.8	0.0	66.1	8.8	122.1
45011	72	2.4	2.8	5.0	1.2	5.5	0.4	70.3	8.8	176.6
45013	179	2.2	2.3	4.0	1.2	4.4	0.1	43.0	5.6	138.7
45014	188	3.9	3.5	6.0	1.9	8.0	0.0	61.1	7.3	121.4
45015	30	3.1	4.0	5.9	2.2	6.9	0.6	22.5	5.7	95.9
45022	1	1.8	1.8	1.8	1.8	1.8	1.8	1.8	0.0	0.0
45026	1	5.4	5.4	5.4	5.4	5.4	5.4	5.4	0.0	0.0
45030	26	5.8	4.0	8.7	1.4	11.4	0.0	34.8	9.4	108.0
45033	2	2.5	2.0	2.5	1.0	2.5	1.0	4.0	2.1	84.9
45034	3	1.8	1.5	1.8	0.7	2.1	0.7	2.9	1.1	61.1
45036	174	2.8	2.7	4.2	1.4	5.2	0.1	29.2	4.5	107.0
45037	1	3.4	3.4	3.4	3.4	3.4	3.4	3.4	0.0	0.0
45039	80	3.1	3.1	7.0	1.7	5.0	0.4	219.0	24.9	356.3
45040	111	2.5	2.1	2.9	1.2	3.8	0.0	12.9	2.4	82.1
45041	1	1.9	1.9	1.9	1.9	1.9	1.9	1.9	0.0	0.0
45042	260	4.4	4.0	6.2	2.1	8.6	0.0	33.0	5.8	93.4
45044	205	3.5	3.3	5.2	1.8	6.6	0.0	50.2	5.5	105.0
45045	1	3.5	3.5	3.5	3.5	3.5	3.5	3.5	0.0	0.0
45046	1	3.8	3.8	3.8	3.8	3.8	3.8	3.8	0.0	0.0
45049	1	3.4	3.4	3.4	3.4	3.4	3.4	3.4	0.0	0.0
45050	26	2.6	2.4	3.5	1.3	5.5	0.0	8.8	2.6	73.6
45052	8	2.4	1.9	2.8	0.8	2.9	0.4	9.4	2.9	102.2
45053	6	0.9	1.0	2.6	0.3	1.5	0.1	11.0	4.2	161.7
45054	7	2.3	2.0	3.7	0.9	5.9	0.0	8.6	3.3	87.8
45056	70	2.4	2.0	4.6	1.1	4.4	0.0	43.0	7.0	153.5
45059	1	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0
45061	5	4.6	5.4	7.1	3.0	4.8	2.7	19.4	6.9	97.5
45062	6	6.9	6.4	7.8	2.9	11.1	2.6	13.8	5.0	63.9
45063	3	3.3	3.8	4.0	2.9	3.9	2.9	5.7	1.5	38.2
45064	8	3.5	3.5	9.9	0.6	8.8	0.5	30.9	13.2	133.1
45065	4	4.9	4.8	6.7	2.1	7.5	2.1	14.8	6.0	89.4
45066	136	3.5	3.1	4.7	1.8	5.4	0.0	37.6	5.4	113.9
45067	41	6.1	4.8	7.8	2.7	10.6	0.0	20.8	5.8	75.4
45068	108	3.5	3.3	5.0	1.9	6.5	0.4	31.3	5.2	104.9
45069	248	2.9	2.6	3.9	1.3	4.9	0.0	20.4	3.7	97.0
45070	2	2.0	1.9	2.0	1.7	2.0	1.7	2.2	0.4	18.1
45072	1	1.9	1.9	1.9	1.9	1.9	1.9	1.9	0.0	0.0
45081	2	3.7	3.7	3.7	3.7	3.7	3.7	3.7	0.0	0.0
45085	1	7.2	7.2	7.2	7.2	7.2	7.2	7.2	0.0	0.0
45101	2	4.8	4.4	4.8	2.8	4.9	2.8	6.9	2.9	59.8
45102	32	3.0	3.0	4.3	1.5	5.8	0.5	10.7	3.3	77.9

Zip	No	Md	GM	AM	Q1	Q3	Min	Max	SD	CV
45103	35	2.6	2.6	3.8	1.6	5.0	0.2	15.2	3.4	89.9
45105	3	1.4	1.5	1.5	1.3	1.5	1.3	1.9	0.3	21.0
45106	16	2.8	2.3	3.5	0.7	4.3	0.3	12.8	3.3	92.9
45107	36	2.7	2.1	3.2	1.1	5.2	0.0	9.3	2.5	78.8
45111	2	3.3	3.2	3.3	2.6	3.3	2.6	3.9	0.9	28.3
45113	19	2.5	3.4	8.1	1.1	6.6	0.6	54.2	13.1	161.2
45118	2	0.2	0.2	0.2	0.0	0.2	0.0	0.3	0.2	141.4
45120	2	3.2	1.7	3.2	0.5	3.2	0.5	5.9	3.8	119.3
45121	4	1.5	1.2	1.4	0.5	1.8	0.5	2.1	0.7	52.2
45122	11	2.2	2.0	2.9	1.1	2.9	0.5	11.8	3.2	108.7
45123	9	8.1	7.2	9.4	4.2	8.5	2.7	31.0	8.6	92.2
45129	1	3.2	3.2	3.2	3.2	3.2	3.2	3.2	0.0	0.0
45130	1	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.0	0.0
45132	3	3.2	4.6	5.2	3.2	4.7	3.2	9.2	3.5	66.6
45133	41	2.0	2.1	3.2	1.3	4.0	0.0	13.0	3.0	94.1
45135	5	3.1	3.1	5.4	0.9	5.8	0.8	15.4	6.0	111.0
45138	3	26.5	24.8	27.4	13.7	30.4	13.7	42.1	14.2	51.8
45139	2	3.3	0.8	3.3	0.0	3.3	0.0	6.7	4.7	141.4
45140	193	3.3	3.3	7.6	1.6	6.4	0.0	470.8	34.1	451.1
45142	9	4.2	2.5	3.6	0.9	5.5	0.5	7.2	2.6	72.1
45144	5	3.5	3.0	4.5	1.1	3.7	0.6	12.0	4.4	97.1
45146	3	2.5	2.7	14.3	0.2	11.9	0.2	40.3	22.5	157.1
45148	4	2.4	2.4	3.2	0.8	2.4	0.8	7.1	2.7	85.8
45150	71	2.7	2.7	3.8	1.8	5.0	0.0	15.2	3.2	85.1
45152	40	2.5	2.4	4.0	1.5	4.3	0.0	16.8	3.8	95.6
45153	3	0.9	1.0	1.2	0.6	1.2	0.6	2.0	0.7	63.2
45154	7	1.9	2.4	4.3	1.3	2.5	0.5	18.3	6.3	146.4
45155	1	6.5	6.5	6.5	6.5	6.5	6.5	6.5	0.0	0.0
45157	27	1.8	1.8	3.3	0.9	3.7	0.1	22.7	4.7	141.6
45159	20	4.8	4.2	8.0	1.9	8.6	0.0	30.9	8.6	108.1
45160	3	1.2	1.2	1.2	1.0	1.3	1.0	1.4	0.2	16.7
45162	4	2.3	1.3	2.8	0.2	4.2	0.2	6.4	3.0	106.1
45165	1	14.3	14.3	14.3	14.3	14.3	14.3	14.3	0.0	0.0
45166	1	2.0	2.0	2.0	2.0	2.0	2.0	2.0	0.0	0.0
45167	1	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.0	0.0
45168	2	2.2	2.1	2.2	1.8	2.2	1.8	2.5	0.5	23.0
45169	17	2.8	3.0	4.2	1.9	4.9	0.4	12.0	3.6	85.0
45170	1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	0.0	0.0
45171	2	3.3	3.0	3.3	2.0	3.3	2.0	4.5	1.8	54.4
45172	1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0
45174	27	5.3	5.8	7.6	3.7	8.6	1.0	34.2	6.7	88.3
45176	3	1.5	1.6	2.4	0.5	2.5	0.5	5.3	2.5	104.1
45177	205	3.2	3.0	5.0	1.8	5.9	0.0	55.6	7.3	144.6
45201	1	1.4	1.4	1.4	1.4	1.4	1.4	1.4	0.0	0.0
45202	13	2.5	2.1	3.1	0.9	3.2	0.5	9.7	3.0	96.1
45203	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
45204	7	1.1	1.1	2.2	0.4	2.2	0.0	8.6	2.9	130.4
45205	32	1.3	1.6	2.2	0.9	2.8	0.4	7.5	1.7	80.3
45206	24	2.0	1.6	3.4	0.6	4.6	0.0	12.4	3.7	108.0
45207	4	0.8	0.8	0.8	0.5	0.9	0.5	1.3	0.3	40.2
45208	111	2.2	2.1	3.5	1.1	3.8	0.0	35.4	4.4	127.0
45209	23	2.3	2.0	2.4	1.1	3.1	0.5	6.6	1.5	62.9
45210	4	2.7	1.3	2.5	0.0	3.1	0.0	4.7	2.0	78.5
45211	108	1.4	1.5	2.6	0.9	2.6	0.0	19.6	3.2	126.3
45212	41	1.3	1.3	1.9	0.7	2.2	0.1	9.2	1.7	93.0
45213	42	3.0	3.0	4.8	1.8	5.4	0.6	49.5	7.6	157.3
45214	12	2.3	1.7	2.7	0.5	4.2	0.0	6.5	2.2	81.0
45215	148	2.1	2.1	3.1	1.2	4.4	0.0	13.2	2.7	85.8
45216	26	3.2	2.4	3.8	1.0	4.6	0.0	14.7	3.7	96.7
45217	15	1.6	1.5	2.0	0.6	2.8	0.5	5.1	1.5	75.8
45218	16	1.2	1.0	1.5	0.5	2.0	0.1	3.8	1.2	81.1
45219	19	3.0	2.3	4.1	0.8	5.2	0.0	18.7	4.4	108.0
45220	30	2.0	2.0	2.9	0.9	3.2	0.5	9.7	2.8	96.3
45223	28	2.0	1.5	2.5	0.7	3.4	0.0	8.8	2.4	95.6
45224	88	2.1	1.8	2.6	1.0	3.2	0.0	12.0	2.3	88.3
45225	6	1.2	1.3	2.0	0.5	2.0	0.5	5.9	2.1	105.6
45226	18	1.6	1.8	2.2	1.0	3.2	0.7	5.1	1.4	63.2
45227	49	2.7	2.8	4.4	1.8	4.2	0.5	52.5	7.5	171.5
45228	2	5.3	4.2	5.3	2.1	5.3	2.1	8.4	4.5	84.9
45229	17	1.7	1.8	3.1	0.7	3.3	0.5	19.2	4.4	143.8
45230	148	2.0	2.0	3.0	1.1	3.4	0.0	27.0	3.5	117.0
45231	320	1.8	1.7	2.8	0.9	3.2	0.0	40.0	3.5	128.0
45232	7	1.8	2.3	3.4	0.9	4.9	0.5	8.7	3.0	86.3
45233	41	2.3	2.4	3.9	1.1	4.3	0.6	26.7	4.8	122.3
45234	2	2.1	2.1	2.1	1.8	2.1	1.8	2.4	0.4	20.2

Zip	No	Md	GM	AM	Q1	Q3	Min	Max	SD	CV
45235	2	2.8	0.8	2.8	0.0	2.8	0.0	5.7	4.0	141.4
45236	135	1.8	1.7	2.4	1.0	3.3	0.1	11.4	2.1	86.4
45237	55	2.3	1.9	2.8	1.0	3.8	0.0	11.0	2.3	83.1
45238	124	1.3	1.3	2.2	0.6	2.7	0.0	38.2	3.8	169.2
45239	93	1.3	1.4	2.0	0.8	2.6	0.0	8.3	1.8	91.2
45240	87	1.5	1.4	1.9	0.8	2.3	0.0	8.7	1.6	83.6
45241	168	2.4	2.2	3.5	1.0	4.6	0.0	26.8	3.6	102.1
45242	191	2.4	2.1	3.1	1.2	4.1	0.0	25.7	3.2	104.0
45243	108	2.3	2.2	3.1	1.2	3.7	0.0	26.5	3.5	112.3
45244	90	2.9	2.7	4.1	1.5	5.2	0.0	17.8	3.7	90.1
45245	37	3.0	2.3	3.0	1.3	3.9	0.5	8.0	2.0	67.0
45246	65	2.6	2.2	3.5	1.0	4.1	0.0	23.5	4.1	114.9
45247	76	1.4	1.5	2.3	0.9	2.5	0.0	10.8	2.3	101.9
45248	66	1.4	1.7	2.9	0.9	2.5	0.4	27.0	4.5	153.8
45249	84	2.8	2.9	4.0	1.7	4.9	0.0	27.2	3.8	96.7
45251	48	1.8	2.1	4.2	1.0	3.7	0.5	45.5	7.7	183.5
45252	11	1.1	1.1	1.4	0.9	1.7	0.0	2.9	0.9	61.6
45255	93	2.0	1.9	2.9	1.0	3.8	0.0	15.6	2.6	90.7
45264	1	2.8	2.8	2.8	2.8	2.8	2.8	2.8	0.0	0.0
45265	1	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.0	0.0
45274	1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	0.0	0.0
45280	1	4.3	4.3	4.3	4.3	4.3	4.3	4.3	0.0	0.0
45291	1	4.2	4.2	4.2	4.2	4.2	4.2	4.2	0.0	0.0
45300	1	1.6	1.6	1.6	1.6	1.6	1.6	1.6	0.0	0.0
45301	5	17.8	15.3	15.8	10.7	17.9	8.8	17.9	3.9	25.0
45302	7	5.4	5.2	8.0	2.3	6.3	1.7	29.2	9.6	119.7
45303	4	7.8	9.8	35.6	2.0	12.6	2.0	125.0	59.8	167.8
45304	48	6.2	5.7	9.6	2.7	13.0	0.0	49.0	9.8	101.4
45305	207	4.5	4.6	7.2	2.7	8.7	0.0	79.5	9.2	128.5
45306	8	2.9	3.2	5.5	0.9	8.3	0.8	18.3	6.0	109.8
45307	6	3.3	3.6	4.0	2.5	3.4	2.5	8.8	2.4	60.6
45308	28	5.4	6.3	11.8	2.7	11.4	1.2	71.0	17.0	144.3
45309	267	4.0	3.6	11.6	1.8	8.0	0.0	1267.8	77.7	668.8
45310	1	3.4	3.4	3.4	3.4	3.4	3.4	3.4	0.0	0.0
45311	25	3.7	3.0	5.6	1.4	7.1	0.4	41.5	8.2	144.9
45312	26	5.9	6.3	10.6	3.9	12.1	0.0	59.2	12.3	116.7
45314	65	3.5	3.1	7.5	1.6	7.6	0.0	97.7	16.6	221.6
45315	73	3.9	3.9	6.7	2.2	7.2	0.0	67.3	8.9	133.3
45316	2	5.6	4.1	5.6	1.8	5.6	1.8	9.3	5.3	95.6
45317	10	8.6	7.0	8.7	3.3	11.8	2.1	17.6	5.5	63.2
45318	45	6.2	5.4	12.9	2.5	8.5	0.0	252.0	37.3	289.0
45319	5	3.3	5.9	8.8	3.3	6.5	3.3	26.6	10.1	114.7
45320	94	4.4	4.1	8.2	1.5	9.5	0.1	54.5	9.9	120.2
45321	9	3.5	4.4	6.3	2.9	5.2	1.2	23.3	6.8	107.9
45322	389	3.8	3.5	6.1	1.8	8.1	0.0	59.4	7.0	114.8
45323	152	6.6	6.2	10.5	3.1	12.4	0.0	67.1	11.7	112.0
45324	466	4.0	3.8	7.2	1.8	8.9	0.0	163.0	10.5	147.1
45325	44	5.6	5.4	7.8	2.7	9.0	0.5	27.7	7.0	89.5
45326	17	6.0	3.9	7.2	3.5	10.0	0.0	20.1	6.1	84.2
45327	135	4.9	4.8	8.6	2.4	9.2	0.3	86.1	12.3	143.2
45328	2	1.8	1.5	1.8	0.8	1.8	0.8	2.7	1.3	76.8
45329	2	3.0	2.6	3.0	1.5	3.0	1.5	4.5	2.1	70.7
45330	2	1.8	1.6	1.8	1.0	1.8	1.0	2.6	1.1	62.9
45331	99	6.4	4.4	10.1	2.3	11.0	0.0	81.7	13.7	135.9
45332	2	8.8	8.8	8.8	8.6	8.8	8.6	9.0	0.3	3.2
45333	10	4.4	5.6	9.2	2.8	8.8	1.3	36.0	10.9	118.6
45334	7	1.5	1.7	2.9	0.7	1.8	0.7	11.6	3.9	136.3
45335	65	3.4	2.6	4.6	1.5	5.6	0.0	21.2	4.5	97.4
45336	2	2.2	1.5	2.2	0.6	2.2	0.6	3.8	2.3	102.9
45337	22	6.3	5.9	7.7	2.9	12.1	1.7	18.1	5.5	71.1
45338	63	6.5	6.0	10.4	3.3	12.2	0.0	57.0	11.2	107.7
45339	26	5.4	5.5	8.9	3.6	8.4	0.5	38.7	9.9	111.3
45340	8	2.1	3.1	5.4	1.5	9.3	0.5	13.1	5.5	101.5
45341	73	23.0	17.5	42.3	10.5	31.5	0.0	750.0	120.6	285.2
45342	511	2.6	2.5	4.3	1.4	5.6	0.0	41.1	5.0	116.8
45344	191	7.0	6.5	11.9	3.0	13.6	0.0	150.0	16.8	141.2
45345	98	4.7	4.0	6.2	1.9	7.1	0.0	40.1	6.5	104.9
45346	17	4.5	5.0	11.7	1.6	10.8	0.4	62.3	16.9	144.9
45347	28	8.8	5.9	9.8	2.3	10.1	0.6	44.4	9.9	100.9
45348	1	1.3	1.3	1.3	1.3	1.3	1.3	1.3	0.0	0.0
45349	4	4.8	4.6	4.7	3.2	5.1	3.2	5.8	1.1	23.5
45350	2	1.5	1.3	1.5	0.8	1.5	0.8	2.2	1.0	66.0
45351	1	38.2	38.2	38.2	38.2	38.2	38.2	38.2	0.0	0.0
45352	1	10.8	10.8	10.8	10.8	10.8	10.8	10.8	0.0	0.0
45354	19	1.4	0.9	3.2	0.0	3.0	0.0	18.3	5.0	153.6

Zip	No	Md	GM	AM	Q1	Q3	Min	Max	SD	CV
45356	267	5.9	5.7	9.0	3.5	10.4	0.0	92.8	10.8	119.7
45358	1	1.8	1.8	1.8	1.8	1.8	1.8	1.8	0.0	0.0
45359	27	6.2	8.8	18.6	4.4	16.4	0.8	105.0	29.4	158.0
45361	2	6.3	6.3	6.3	6.3	6.3	6.3	6.3	0.0	0.0
45362	2	3.5	3.3	3.5	2.3	3.5	2.3	4.6	1.6	47.1
45363	10	4.2	3.7	4.8	1.9	7.0	1.2	9.3	3.3	68.5
45365	144	5.7	4.4	7.3	2.3	9.0	0.0	48.2	7.3	100.8
45368	19	5.3	4.8	5.9	2.1	7.7	1.1	13.3	3.5	58.8
45369	18	4.0	3.7	5.4	1.7	6.1	0.7	20.6	5.0	93.8
45370	202	4.7	4.6	7.5	2.8	8.9	0.0	89.0	9.3	123.9
45371	377	4.3	4.4	8.1	2.5	8.1	0.0	204.0	14.3	178.0
45372	4	18.5	17.8	20.6	7.9	19.0	7.9	37.5	12.3	60.0
45373	814	5.9	5.7	9.0	2.9	10.8	0.0	223.0	12.0	133.0
45374	1	9.2	9.2	9.2	9.2	9.2	9.2	9.2	0.0	0.0
45375	2	9.4	9.4	9.4	9.4	9.4	9.4	9.4	0.0	0.0
45376	2	14.0	14.0	14.0	14.0	14.0	14.0	14.0	0.0	0.0
45377	333	3.4	2.9	4.6	1.4	6.5	0.0	40.8	4.3	93.6
45378	5	9.6	6.6	8.3	2.8	9.6	1.4	13.8	4.6	55.0
45380	58	6.2	4.8	8.6	2.2	10.9	0.0	41.6	9.7	112.5
45381	35	5.2	4.4	9.4	3.0	10.5	0.0	90.3	15.1	161.2
45382	5	3.0	2.5	5.6	0.8	6.0	0.0	15.0	5.8	103.8
45383	112	5.2	5.1	9.0	2.7	10.4	0.0	62.9	11.1	123.1
45384	21	2.4	2.3	4.7	0.9	3.9	0.6	26.9	7.6	161.5
45385	981	5.4	4.9	8.3	2.7	9.5	0.0	142.0	11.1	134.1
45387	150	4.6	4.3	7.3	2.4	10.1	0.0	111.9	10.7	146.3
45388	4	7.2	6.1	8.1	1.7	8.7	1.7	16.2	6.1	76.3
45389	5	10.6	8.6	11.4	3.7	13.9	1.4	19.4	6.7	58.6
45390	7	6.1	5.1	6.9	2.0	8.7	1.3	14.3	5.2	74.7
45401	18	1.0	1.0	2.4	0.4	2.3	0.0	15.6	3.7	154.9
45402	56	4.1	2.8	5.0	1.4	6.9	0.0	27.7	5.2	103.4
45403	167	4.0	3.7	5.8	2.0	7.2	0.0	65.0	7.1	121.6
45404	88	7.0	7.0	9.4	4.7	9.5	0.2	48.2	8.2	87.0
45405	380	4.2	3.7	6.0	1.9	7.9	0.0	49.6	6.1	100.9
45406	287	2.7	2.5	3.9	1.3	5.3	0.0	32.9	4.0	102.1
45407	35	4.9	5.0	8.8	2.4	8.4	0.8	71.0	12.7	144.1
45408	42	5.5	5.3	12.8	1.8	12.4	0.5	191.0	29.5	230.9
45409	244	5.2	4.5	7.0	2.4	9.2	0.0	39.9	6.5	93.0
45410	268	2.5	2.6	3.7	1.5	4.8	0.0	22.3	3.2	86.9
45413	4	5.7	5.6	6.4	2.7	5.7	2.7	11.4	3.6	57.0
45414	494	4.5	4.0	7.1	1.9	8.4	0.0	75.6	8.7	123.7
45415	467	4.6	4.4	8.2	2.5	8.7	0.0	416.3	21.0	255.1
45416	133	2.6	2.9	5.8	1.3	6.2	0.0	61.2	9.3	159.7
45417	46	3.2	2.5	3.6	2.0	5.1	0.0	10.5	2.5	69.1
45418	51	3.3	3.2	4.9	1.9	5.6	0.0	21.5	5.1	103.1
45419	722	3.6	3.6	6.4	1.9	7.4	0.0	220.0	13.3	209.6
45420	764	3.3	3.0	4.8	1.8	5.9	0.0	76.5	6.1	125.8
45421	2	1.9	1.8	1.9	1.5	1.9	1.5	2.2	0.5	26.8
45422	1	10.9	10.9	10.9	10.9	10.9	10.9	10.9	0.0	0.0
45423	3	0.6	0.9	1.8	0.3	1.6	0.3	4.5	2.3	130.2
45424	583	3.0	3.1	5.3	1.6	6.6	0.0	46.9	6.5	121.8
45426	322	2.9	2.9	5.7	1.5	5.9	0.0	161.0	14.3	249.1
45427	62	3.0	2.7	4.0	1.8	5.0	0.1	18.6	3.5	86.8
45428	18	1.5	1.1	1.8	0.6	2.8	0.0	4.2	1.3	76.5
45429	1229	3.4	3.2	5.6	1.8	6.2	0.0	440.7	14.5	257.8
45430	204	4.3	3.8	6.5	1.8	8.6	0.0	70.5	7.7	118.5
45431	393	4.6	4.4	6.7	2.4	8.4	0.0	117.0	8.5	126.7
45432	383	4.9	4.2	6.6	2.2	8.8	0.0	117.0	7.7	117.1
45433	11	2.6	2.2	7.3	0.6	4.1	0.0	49.0	14.2	193.9
45434	1	3.0	3.0	3.0	3.0	3.0	3.0	3.0	0.0	0.0
45435	4	7.1	5.8	7.3	2.2	10.5	2.2	12.9	5.2	70.7
45437	2	7.4	6.0	7.4	3.1	7.5	3.1	11.8	6.2	82.6
45439	111	5.7	5.6	9.7	3.1	12.1	0.0	56.1	9.4	97.6
45440	723	3.1	2.9	5.0	1.8	5.6	0.0	359.0	14.3	282.9
45441	2	12.8	12.7	12.8	12.0	12.8	12.0	13.5	1.1	8.3
45446	1	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.0	0.0
45448	13	1.1	1.2	1.8	0.7	1.2	0.5	6.1	2.0	108.7
45449	260	2.9	2.7	5.6	1.3	7.0	0.0	51.6	7.4	132.0
45450	2	5.9	5.6	5.9	3.9	5.9	3.9	7.9	2.8	47.9
45451	1	11.9	11.9	11.9	11.9	11.9	11.9	11.9	0.0	0.0
45453	1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	0.0	0.0
45454	2	2.8	2.7	2.8	2.1	2.8	2.1	3.4	0.9	33.4
45456	2	10.4	9.2	10.4	5.7	10.4	5.7	15.0	6.6	63.5
45458	80	2.3	2.4	4.3	1.4	5.1	0.0	35.5	5.6	130.2
45459	1057	3.2	3.1	5.9	1.5	6.8	0.0	153.0	9.6	163.8
45469	4	2.4	2.0	2.2	0.9	2.5	0.9	3.0	0.9	41.4

Zip	No	Md	GM	AM	Q1	Q3	Min	Max	SD	CV
45482	1	20.4	20.4	20.4	20.4	20.4	20.4	20.4	0.0	0.0
45490	2	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0
45500	1	6.0	6.0	6.0	6.0	6.0	6.0	6.0	0.0	0.0
45501	17	4.5	3.4	5.3	1.7	8.5	0.0	11.5	3.9	72.9
45502	185	6.1	5.2	9.2	3.0	11.5	0.0	57.3	10.0	109.2
45503	290	5.6	5.0	7.6	3.0	9.7	0.0	106.0	8.5	112.8
45504	208	3.6	3.4	5.5	2.1	6.3	0.0	73.0	7.2	131.2
45505	133	5.5	5.2	7.5	3.4	9.4	0.0	61.3	7.6	101.8
45506	90	4.8	5.0	7.6	2.8	9.9	0.3	47.1	8.1	106.7
45509	1	15.8	15.8	15.8	15.8	15.8	15.8	15.8	0.0	0.0
45515	1	15.9	15.9	15.9	15.9	15.9	15.9	15.9	0.0	0.0
45522	1	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.0	0.0
45529	1	11.6	11.6	11.6	11.6	11.6	11.6	11.6	0.0	0.0
45536	1	9.7	9.7	9.7	9.7	9.7	9.7	9.7	0.0	0.0
45540	1	3.4	3.4	3.4	3.4	3.4	3.4	3.4	0.0	0.0
45558	2	3.4	1.6	3.4	0.4	3.4	0.4	6.4	4.2	124.8
45571	1	4.4	4.4	4.4	4.4	4.4	4.4	4.4	0.0	0.0
45592	1	12.0	12.0	12.0	12.0	12.0	12.0	12.0	0.0	0.0
45601	380	7.4	6.4	11.7	3.3	13.6	0.0	123.0	14.0	118.9
45611	1	4.5	4.5	4.5	4.5	4.5	4.5	4.5	0.0	0.0
45612	12	9.9	5.7	10.5	1.2	13.4	0.7	28.4	9.7	92.6
45613	2	0.7	0.3	0.7	0.1	0.7	0.1	1.2	0.8	119.7
45614	5	3.6	3.0	4.6	0.9	5.9	0.6	10.6	4.1	88.2
45619	4	1.8	1.9	1.9	1.5	1.9	1.5	2.5	0.4	22.7
45620	2	3.6	3.6	3.6	3.1	3.6	3.1	4.1	0.7	19.6
45621	2	5.4	2.0	5.4	0.4	5.5	0.4	10.5	7.1	131.0
45623	1	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.0	0.0
45628	12	5.0	3.3	5.8	1.9	6.7	0.1	18.0	5.1	88.5
45629	2	0.6	0.6	0.6	0.4	0.6	0.4	0.8	0.3	47.1
45631	53	2.7	2.2	3.0	1.1	3.6	0.2	9.2	2.3	75.8
45633	1	15.9	15.9	15.9	15.9	15.9	15.9	15.9	0.0	0.0
45634	1	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.0	0.0
45636	1	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.0	0.0
45638	22	2.2	2.2	3.6	1.3	3.3	0.3	16.3	4.0	112.6
45640	30	2.3	2.1	3.4	1.1	4.0	0.2	20.3	3.9	113.0
45644	12	2.8	3.6	6.0	1.9	7.6	0.6	27.7	7.4	123.7
45645	2	1.3	1.2	1.3	0.7	1.3	0.7	1.9	0.8	65.3
45646	3	17.2	10.3	14.2	2.8	18.5	2.8	22.6	10.2	72.1
45647	2	6.6	5.1	6.6	2.4	6.6	2.4	10.8	5.9	90.0
45648	10	2.4	3.5	7.7	1.2	9.9	0.8	29.5	10.0	130.0
45651	4	3.3	3.4	3.4	3.0	3.5	3.0	3.9	0.4	11.5
45652	3	1.3	1.7	2.3	0.8	2.2	0.8	4.7	2.1	93.6
45653	3	1.1	1.2	1.2	1.1	1.1	1.1	1.3	0.1	9.9
45655	1	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.0	0.0
45656	8	4.3	3.8	5.4	1.6	6.4	1.2	12.4	4.4	81.7
45658	3	3.7	2.5	3.8	0.6	4.5	0.6	7.0	3.2	85.0
45660	10	2.8	3.3	4.3	1.9	4.2	1.4	14.7	4.0	93.8
45661	14	8.6	6.3	11.8	2.2	13.9	0.7	43.3	12.3	104.7
45662	41	2.6	2.9	3.6	1.8	4.0	1.0	16.1	3.0	82.6
45669	12	2.2	2.0	2.8	0.9	3.7	0.4	7.1	2.2	80.4
45670	1	1.5	1.5	1.5	1.5	1.5	1.5	1.5	0.0	0.0
45672	3	1.9	3.7	5.8	1.9	4.8	1.9	13.5	6.7	116.1
45674	2	1.8	1.7	1.8	1.2	1.8	1.2	2.3	0.8	44.4
45679	6	3.0	2.6	3.2	1.4	3.7	0.7	6.7	2.0	63.3
45680	9	2.1	2.1	2.8	0.9	3.1	0.7	6.8	2.2	78.8
45681	1	52.9	52.9	52.9	52.9	52.9	52.9	52.9	0.0	0.0
45686	4	1.3	1.1	1.3	0.5	1.5	0.5	2.0	0.6	49.8
45690	43	7.4	5.4	8.6	2.5	13.4	0.2	23.8	6.6	76.1
45692	14	1.1	1.5	3.5	0.8	1.5	0.3	21.3	6.1	175.5
45693	7	0.7	0.8	1.6	0.2	2.2	0.1	4.8	1.7	110.0
45694	7	1.2	1.6	2.4	0.8	1.8	0.8	8.3	2.7	114.2
45697	10	1.6	1.2	1.6	0.6	2.2	0.0	3.7	1.1	68.3
45700	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
45701	420	5.0	4.3	5.8	2.8	7.5	0.0	82.1	6.1	105.3
45708	1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.0	0.0
45710	9	2.0	1.8	2.4	0.7	3.4	0.4	5.2	1.8	75.1
45711	4	1.3	1.3	1.6	0.6	1.3	0.6	3.5	1.3	77.1
45712	2	2.3	1.9	2.3	1.0	2.3	1.0	3.7	1.9	81.2
45714	21	3.1	2.8	3.8	2.0	4.1	0.3	16.7	3.4	90.5
45715	4	5.4	6.5	10.0	2.2	6.0	2.2	27.0	11.4	114.0
45716	2	0.6	0.3	0.6	0.1	0.6	0.1	1.1	0.7	117.9
45717	1	1.6	1.6	1.6	1.6	1.6	1.6	1.6	0.0	0.0
45719	1	1.6	1.6	1.6	1.6	1.6	1.6	1.6	0.0	0.0
45723	2	1.0	0.7	1.0	0.3	0.9	0.3	1.6	0.9	96.8
45724	1	1.8	1.8	1.8	1.8	1.8	1.8	1.8	0.0	0.0

Zip	No	Md	GM	AM	Q1	Q3	Min	Max	SD	CV
45729	8	2.3	3.5	5.4	1.7	5.0	1.7	21.0	6.6	122.7
45732	14	3.3	2.4	3.7	1.2	6.4	0.1	7.9	2.7	74.8
45735	5	1.8	1.7	1.9	0.9	2.1	0.9	3.8	1.2	60.5
45737	1	5.6	5.6	5.6	5.6	5.6	5.6	5.6	0.0	0.0
45740	3	4.4	2.7	3.3	1.0	4.4	1.0	4.5	2.0	60.4
45741	1	3.2	3.2	3.2	3.2	3.2	3.2	3.2	0.0	0.0
45742	3	2.2	2.4	3.2	1.0	3.3	1.0	6.4	2.8	88.6
45744	5	2.5	2.6	2.7	2.0	3.0	2.0	3.8	0.8	29.2
45745	1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	0.0	0.0
45746	1	1.2	1.2	1.2	1.2	1.2	1.2	1.2	0.0	0.0
45750	190	3.0	3.2	5.7	1.6	5.4	0.3	91.9	10.6	184.2
45760	4	2.1	1.7	2.2	0.7	3.2	0.7	4.0	1.6	73.1
45761	8	1.1	1.0	3.2	0.0	2.8	0.0	15.5	5.2	162.6
45764	16	3.7	3.9	4.6	2.6	6.3	0.9	9.0	2.6	55.9
45766	4	1.0	1.1	1.1	0.8	1.1	0.8	1.4	0.2	23.3
45767	5	1.0	0.9	1.2	0.4	1.0	0.3	2.9	1.0	87.6
45768	4	3.5	2.8	3.3	1.1	4.8	1.1	5.3	2.0	61.5
45769	11	2.2	1.5	2.0	0.6	2.6	0.3	4.2	1.2	61.6
45770	1	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0
45771	5	1.9	2.1	2.3	1.2	2.9	1.0	3.4	1.0	44.9
45772	1	2.8	2.8	2.8	2.8	2.8	2.8	2.8	0.0	0.0
45773	5	4.6	3.0	3.5	1.3	4.7	1.1	5.1	1.8	52.8
45775	1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	0.0	0.0
45776	3	3.5	1.6	3.4	0.2	4.2	0.2	6.4	3.1	92.1
45778	6	2.8	2.6	3.8	1.1	4.7	0.7	9.4	3.3	87.7
45779	1	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0
45780	9	4.2	4.4	5.5	2.4	5.6	1.7	16.1	4.4	81.4
45784	4	6.1	5.6	7.1	2.1	8.4	2.1	14.2	5.4	76.0
45785	1	2.2	2.2	2.2	2.2	2.2	2.2	2.2	0.0	0.0
45786	7	4.0	4.1	6.7	2.3	7.4	0.4	19.6	6.5	96.7
45788	2	1.9	1.8	1.9	1.6	1.9	1.6	2.1	0.4	19.1
45800	1	17.5	17.5	17.5	17.5	17.5	17.5	17.5	0.0	0.0
45801	18	3.2	3.4	5.5	1.4	6.3	0.4	19.2	5.5	100.0
45802	2	2.8	2.2	2.8	1.1	2.8	1.1	4.5	2.4	85.9
45804	16	3.8	4.1	6.4	1.5	6.5	1.1	24.7	6.6	104.4
45805	61	4.6	4.1	5.7	2.3	7.3	0.0	23.5	4.8	85.0
45806	16	7.2	3.4	8.7	0.8	8.8	0.0	38.1	10.6	122.7
45807	21	3.0	3.1	4.7	1.1	7.1	0.4	17.5	4.3	92.0
45809	2	6.2	4.6	6.2	2.1	6.2	2.1	10.2	5.7	93.1
45810	5	12.1	6.2	11.0	1.3	13.2	0.9	26.2	10.2	92.6
45812	5	3.7	3.9	4.3	2.4	4.2	2.2	8.3	2.4	54.9
45813	12	2.9	2.9	3.5	1.6	4.7	1.0	7.6	2.1	60.4
45814	1	9.6	9.6	9.6	9.6	9.6	9.6	9.6	0.0	0.0
45817	6	4.2	5.1	13.3	1.8	5.4	1.4	62.6	24.2	181.4
45819	1	21.5	21.5	21.5	21.5	21.5	21.5	21.5	0.0	0.0
45821	1	3.0	3.0	3.0	3.0	3.0	3.0	3.0	0.0	0.0
45822	100	4.7	4.3	6.6	2.3	9.1	0.2	31.6	6.5	98.4
45828	26	4.1	3.8	5.3	1.9	6.5	0.7	17.6	4.7	88.8
45830	3	3.6	3.3	4.0	1.5	4.4	1.5	6.8	2.7	67.3
45831	3	5.8	6.2	7.1	3.4	7.4	3.4	12.1	4.5	63.3
45832	1	11.3	11.3	11.3	11.3	11.3	11.3	11.3	0.0	0.0
45833	10	7.0	6.7	7.7	4.8	8.3	2.5	18.5	4.3	56.5
45836	1	3.5	3.5	3.5	3.5	3.5	3.5	3.5	0.0	0.0
45839	1	2.9	2.9	2.9	2.9	2.9	2.9	2.9	0.0	0.0
45840	68	3.4	3.3	5.5	1.5	5.9	0.0	39.1	7.0	125.9
45843	3	3.6	4.7	5.7	2.7	5.4	2.7	10.7	4.4	77.3
45844	5	7.4	4.5	8.1	1.0	10.0	1.0	20.2	8.0	98.2
45845	19	5.1	4.9	7.5	2.3	7.0	1.5	48.6	10.4	138.9
45846	19	4.6	3.7	5.8	1.5	6.6	0.9	20.4	5.9	102.4
45848	1	2.7	2.7	2.7	2.7	2.7	2.7	2.7	0.0	0.0
45849	1	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.0	0.0
45851	1	3.0	3.0	3.0	3.0	3.0	3.0	3.0	0.0	0.0
45853	2	8.0	7.8	8.0	6.4	8.0	6.4	9.6	2.3	28.3
45856	8	3.7	4.1	5.3	1.7	7.9	1.7	11.2	3.9	73.0
45858	10	2.2	2.4	4.1	0.9	3.3	0.7	14.7	4.7	116.8
45860	12	6.9	7.5	13.8	2.1	14.9	1.4	56.1	16.6	120.8
45861	1	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0
45862	3	2.5	2.3	5.3	0.4	5.1	0.4	12.9	6.7	127.1
45863	2	3.1	3.1	3.1	2.6	3.1	2.6	3.6	0.7	22.8
45865	28	5.7	5.0	11.7	2.7	13.8	0.1	64.5	15.3	131.4
45867	2	6.3	1.6	6.3	0.2	6.3	0.2	12.5	8.7	137.0
45868	3	4.2	3.3	4.2	1.2	5.0	1.2	7.3	3.1	72.1
45869	19	3.9	3.7	5.1	2.6	7.6	0.4	11.3	3.6	70.2
45871	20	11.4	7.9	13.1	4.4	17.2	0.0	38.9	11.1	84.3
45872	2	12.4	12.4	12.4	11.5	12.4	11.5	13.3	1.3	10.3

Zip	No	Md	GM	AM	Q1	Q3	Min	Max	SD	CV
45873	1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	0.0	0.0
45874	3	5.4	3.3	4.5	0.9	5.9	0.9	7.3	3.3	72.5
45875	6	3.2	2.1	4.0	0.9	6.0	0.0	8.1	3.3	83.3
45876	1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	0.0	0.0
45877	1	5.3	5.3	5.3	5.3	5.3	5.3	5.3	0.0	0.0
45879	1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0
45880	5	0.6	1.1	2.5	0.4	1.4	0.3	9.5	3.9	154.6
45881	1	7.8	7.8	7.8	7.8	7.8	7.8	7.8	0.0	0.0
45882	3	4.1	4.1	4.4	2.8	4.6	2.8	6.2	1.7	39.3
45883	18	6.2	4.8	9.2	2.7	8.5	0.0	53.0	12.1	130.8
45885	32	4.1	3.4	5.4	1.8	5.4	0.1	18.4	5.0	92.7
45887	6	7.6	6.0	7.8	2.7	10.6	1.1	14.3	5.0	63.5
45889	2	17.3	4.9	17.3	0.7	17.3	0.7	33.8	23.4	135.7
45890	6	9.8	10.0	12.8	4.8	11.6	4.4	34.7	11.2	87.4
45891	35	4.1	4.1	6.3	2.2	6.4	0.5	24.5	6.4	101.1
45892	1	1.8	1.8	1.8	1.8	1.8	1.8	1.8	0.0	0.0
45893	1	7.8	7.8	7.8	7.8	7.8	7.8	7.8	0.0	0.0
45894	2	6.0	5.9	6.0	4.9	6.0	4.9	7.1	1.6	25.9
45895	40	4.7	3.7	5.9	2.6	7.0	0.0	34.2	5.8	98.5
45896	2	4.6	1.0	4.6	0.0	.6	0.0	9.1	6.4	141.4
45898	3	2.2	2.9	3.5	1.8	3.3	1.8	6.4	2.5	73.5
45917	1	4.0	4.0	4.0	4.0	4.0	4.0	4.0	0.0	0.0
45942	1	39.9	39.9	39.9	39.9	39.9	39.9	39.9	0.0	0.0